

Semantic models and services for conservation and restoration of cultural heritage: a comprehensive survey

Efthymia Moraitou^{a,1*}, Yannis Christodoulou^a and George Caridakis^a

^a*Department of Cultural Informatics and Communication, University of the Aegean, University Hill, Mytilene 81 100, Greece*

Abstract. Over the last decade, the Cultural Heritage (CH) domain has gradually adopted Semantic Web (SW) technologies for organizing information and for tackling interoperability issues. Several semantic models have been proposed which accommodate essential aspects of information management: retrieval, integration, reuse and sharing. In this context, the CH subdomain of Conservation and Restoration (CnR) exhibits an increasing interest in SW technologies, in an attempt to effectively handle the highly heterogeneous and often secluded CnR information. This paper investigates semantic models relevant to the CnR knowledge domain. The scope, development methodology and coverage of CnR aspects are described and discussed. Furthermore, the evaluation, deployment and current exploitation of each model are examined, with focus on the types and variety of services provided to support the CnR professional. Through this study, the following research questions are investigated: To what extent the various aspects of CnR are covered by existing CnR models? To what extent existing CnR models incorporate models of the broader CH domain and of relevant disciplines (e.g., Chemistry)? In what ways and to what extent services built upon the reviewed models facilitate CnR professionals in their various tasks? Finally, based on the findings, fields of interest that merit further investigation are suggested.

Keywords: Ontologies, knowledge representation, Semantic Web, metadata schemata, decision making

1. Introduction

Over the past decade, the *Cultural Heritage* (CH) domain has gradually adopted knowledge representation methods and tools of the *Semantic Web* (SW) for creating formal definitions of terms, providing a common base for structuring and managing cultural data [17]. This practice initially emerged as an efficient way to address interoperability issues of (commonly heterogeneous and scattered) cultural data, addressing the need for unified collection, management and exchange of data between different CH Institutions [75, 97]. Primarily, web ontologies have been widely adopted by the CH community for representing the domain, in order to achieve data interoperability, as well as to provide platforms and services to efficiently discover and share domain-specific knowledge between

remote interconnected sources [97]. In this context, web ontologies have attracted particular attention within the *Conservation and Restoration (CnR) of the tangible CH* research community, as a means for representing and sharing knowledge and data.

The primary aim of CnR of tangible CH lies in the maintenance of the physical, aesthetic and historical integrity of *conservation objects*², ensuring preservation and access for present and future generations [68, 84]. Tangible CH encompasses i) *movable* CH, which refers to portable objects such as paintings, coins and manuscripts, ii) *immovable* CH, which refers to built works such as monuments and sites and iii) *underwater* CH, which refers to objects or whole sites that are under water such as shipwrecks, ruins, cities [9, 107].

CnR professionals seek to understand the original and present condition of conservation objects and to

^{1*}Corresponding author. E-mail: e.moraitou@aegean.gr

² *Conservation object* refers to “the object which is worthy of conservation, and not only repair, maintenance, cleaning, or care” [78].

determine the actions required in order to manage the change and sustain the values³ of the conservation objects [40]. In doing so, CnR professionals follow a process which generally comprises six stages [40]:

- i) *establishment of the CnR project*, during which the problems of the conservation object and the requirements and objectives of the project are specified,
- ii) *risk evaluation*, during which potential risks regarding health and safety, potential hazards of CnR actions (or inactions), compatibility of actions etc. are identified,
- iii) *identification, evaluation and selection of CnR options*, during which remedial, preserving or restoring actions are considered based on the specifications recorded in previous stages,
- iv) *development and agreement of a plan*, during which an action plan is specified and agreed between all involved parts,
- v) *implementation of the agreed plan*, during which the agreed actions are carried out,
- vi) *completion of the CnR project*, during which the outcome of the actions are recorded and evaluated, and guidelines for future maintenance and handling of the conservation objects are proposed.

Documentation⁴, as well as management of documented information, constitute an integral part of CnR which occurs in all the different stages of the CnR process [64]. CnR professionals and scientists collect and disseminate information from and to the wider CH knowledge domain at all the different stages of the CnR process [64]. Practically, they need to accumulate and exchange a wide range of information regarding material and immaterial aspects of the conservation object, and of similar conservation objects, as well as general knowledge and implementation examples about diagnosis methods and results, conservation interventions, preventive measures and other related information [7]. The combination of these pieces of information is critical to the overall CnR process, since professionals reach conclusions, make decisions and eventually conduct the appropriate intervention based on this information [37, 84]. For this purpose, CnR professionals need to access, compare, combine, analyze and often visualize the relevant information (either retrieved or produced).

³ Values can be artistic, aesthetic, symbolic, historical, social, economical etc. [40].

⁴ Documentation refers to the information collected, created and maintained for the purpose of present and future CnR of the conservation objects and for reference [40].

However, up to now, CnR actors face the problem of limited means for retrieving and linking information, mainly due to the fact that CnR-related data are usually heterogeneous and often fragmented, for a number of reasons. First of all, CnR laboratories record their data in databases isolated from each other, each one developed according to different requirements which stem from different specializations [80, 84, 107]. Second, CnR data can be found in various forms, structured (e.g., in the form of relational databases), semi-structured (XML annotated documents) or unstructured (free texts), and, as such, are not semantically interoperable [84, 107]. Lastly, the CnR domain heavily suffers from terminology inconsistency, since domain specialists tend to use specialized terms in diverse ways⁵ [84, 112]. Even though difficult to achieve, data interoperability (syntactic as well as semantic) and exchange is vital for the CnR domain, and the SW provides very promising means to tackle the aforementioned issues, paving the way to effective and efficient organization and management of information [84, 107]. Information integration from different sources, efficient retrieval and juxtaposition of information, as well as identification of conservation issues and recommendation of solutions are some services which SW technologies may provide, thereby significantly facilitating the various stages of the CnR process in terms of information management and exploitation [13, 20, 84]. In this context, the CnR community has made ample attempts to develop semantic models for representing aspects of CnR knowledge and to deploy those models in various data modelling and management tasks, proposing interesting solutions that could dramatically change the way conservation experts acquire and utilize CnR information for supporting the CnR process.

In response to the increasing interest of the CnR domain in semantic representation methods, this paper reviews the development and deployment of semantic models developed for the CnR domain. The gathered works propose mainly (but not exclusively) formal ontologies. The scope and development methodology of each model are described, while the fundamental aspects of the underlying conceptualization are highlighted. Furthermore, the evaluation and deployment (if any) of each model as part of a SW system is examined, with focus on the types and variety of services

⁵ As [112] mentions the term *fresco* may refer to both i) wall paintings in general and ii) wall paintings produced by painting on fresh lime plaster, in different European countries.

provided to support the CnR professional. Based on the study, the following research questions are investigated: (a) To what extent the various aspects of CnR are covered by existing CnR models? (b) To what extent existing CnR models incorporate models of the broader CH domain and of relevant disciplines (e.g. Chemistry)? and (c) In what ways and to what extent services built upon the reviewed models facilitate CnR professionals in their various tasks?

The remainder of the paper is structured as follows. In Section 2, the methodology of the survey is discussed. In Section 3, each reviewed work is presented, based on a set of predefined axes (scope, development, coverage, deployment, evaluation, exploitation). The paper concludes with a discussion that summarizes interesting observations over the reviewed models as well as paths that merit further research, towards a more active and well-rounded support of the CnR process.

2. Methodology

As mentioned, the current survey aims at reviewing knowledge models in the context of the CnR domain that have been developed using SW technologies and methods. The research of the literature was conducted using the data sources of *Semantic Scholar*, *Springer Link*, *ScienceDirect* and *AATA Online*, and searching for topics related to *Conservation*, *Cultural Heritage*, *Ontology(ies)*, *Semantic Web* and *CIDOC CRM*.

In terms of coverage, the models were reviewed according to the basic aspects of CnR information [74]:

- *administration*, which refers to general information about the conservation object, such as identification information (accession number, title, creator, dimensions etc.), ownership, preservation and management (date of action, location of action, involved stakeholders etc.).
- *materials & technology*, which refers to information about i) production materials and techniques and ii) structural layers and components of the conservation object.
- *alteration*, which refers to information on the causes (e.g. radiation), processes (e.g. photooxidation) and effects (e.g. peeling) of the conservation object's deterioration.
- *investigation*, which refers to a variety of activities aiming to the acquisition of information either directly from the conservation object and its

environment or from other sources (e.g. bibliography, experiments), and the processing of this information for the purpose of condition assessment, alteration diagnosis and eventually determining intervention requirements.

- *intervention*, which refers to information about planning and implementation of actions in order to i) prevent future deterioration of the conservation object (preventive conservation), ii) ensure the long-term safekeeping of conservation objects (remedial conservation) or iii) make changes to the conservation object so that it optimally approximates its original state or other previous state (restoration).

The different CnR information aspects may be collected and recorded during different stages throughout the CnR process. For example, information regarding a CnR intervention may be collected and recorded during the stages of *risk evaluation*, *identification*, *evaluation and selection of CnR options* (general information on interventions), as well as during the stages of *development and agreement of a plan* and *implementation of the agreed plan* (specific information on implemented intervention cases).

3. Models Review

CnR is a multidisciplinary domain, which lies within the wider CH domain. As such, formal ontologies which have been developed within the CH domain may cover, at different abstractions levels, CnR requirements regarding data modelling. For example, the *International Committee of Documentation Conceptual Reference Model* (CIDOC CRM) of the *International Council of Museums* (ICOM) is a widely used top-level ontology for the representation of CH data which includes classes and relations that represent at some extent some CnR aspects [26, 35]. CIDOC CRM provides the basic classes and relations that represent the various CH disciplines, and is extended by ten modular extensions which cover documentation requirements of specific disciplines of the CH domain (FRBRoo, PRESSoo, CRMinf, CRMarchaeo, CRMsci, CRMgeo, CRMdig, CRMba, CRMtex, CRMsoc) [27]. The different versions of both the CIDOC CRM⁶

⁶<http://www.cidoc-crm.org/versions-of-the-cidoc-crm>

and the CRM official extensions^{7,8,9,10,11,12,13,14,15,16} are available online. The models are provided in an RDF form although partially, supporting exploitation of SW technologies. The CRM CRM and its official extensions have been used for CnR data modelling through the years [66, 81, 113].

Another, analogous example is the more recent *Architecture of Knowledge (ArCo) ontology network*, which is the result of a collaboration between the *Institute of Catalogue and Documentation (ICCD)*, of the *Italian Ministry of Cultural Heritage*, and the *Institute of Cognitive Sciences and Technologies of CNR* (Italian National Research Council) [22]. The project aims at modelling the domain of Italian CH using a network of formal ontologies in order to eventually publish ICCD data as LOD. ArCo ontology network reuses other ontologies, such as OntoPiA [87] and Cultural-ON [67] and it is aligned to existing upper-level ontologies of the CH domain, such as *European Data Model* (EDM) [25] and CIDOC CRM [23]. ArCo consists of seven ontology modules in order to cover the various CH aspects, including - at some level- the aspects of the CnR domain [22]. The *ArCo ontology network* (owl files and relevant documentation) is available online¹⁷.

In addition to the use of CH related ontologies for the representation of the various aspects of CnR information, the CnR community has developed specialised models, which in some cases integrate and/or extend existing models of the CH domain. After a thorough bibliographic research, 16 works were identified, which were gathered, studied and are presented below. The presentation of the reviewed works follows a chronological order (oldest first). The bibliographic research spans from 2011, when the first endeavors are dated, up to today. In case of multiple publications on the same work, the initial publication is taken into account in the ordering. Each work has been reviewed and is presented here according to six study axes: i)

scope and context of the project, ii) model development methodology, iii) coverage (in terms of CnR information aspects), iv) deployment of the model as part of a SW system or service, v) evaluation of the model and its deployment as a SW system or service, vii) current exploitation of the model and system/service for the development of ontologies within the CnR domain¹⁸.

3.1. *Ontology of Paintings and Preservation of Art*

*Twentieth Century in Paint Project*¹⁹,²⁰ (20thCPaint) explored the preservation of 20th C. paintings in Asia and the Pacific [51]. Key objective of the project was the development of an online knowledge base that i) allows painting conservators to access integrated and structured information about conservation of 20th c. paintings and ii) facilitates information exchange between painting conservators and other preservation experts²¹.

In this context, [51] proposes the *Ontology of Paintings and Preservation of Art* (OPRA), a semantic model specialized in CnR of paintings. The ontology was developed in order to: i) capture CnR documentation data, ii) capture data from published papers and iii) integrate the aforementioned data that derive from both internal and external data sources so that reasoning can be performed over them.

The development of OPRA was organized in five stages [86]: i) conceptual modelling of information relevant to conservation of paintings, ii) reuse of existing models, iii) reuse of existing controlled vocabularies, iv) extension and refinement of the reused classes and relationships, v) evaluation of ontology applicability to services developed in the context of the 20thCPaint Project. The ontology was implemented in *Web Ontology Language Description Logics*²² (OWL DL) using the *Protégé*²³ software (for further infor-

⁷ http://www.cidoc-crm.org/frbroo/fm_releases

⁸ http://www.cidoc-crm.org/pressoo/fm_releases

⁹ http://www.cidoc-crm.org/crminf/fm_releases

¹⁰ http://www.cidoc-crm.org/crmarchaeo/fm_releases

¹¹ http://www.cidoc-crm.org/crmsci/fm_releases

¹² http://www.cidoc-crm.org/crmgeo/fm_releases

¹³ http://www.cidoc-crm.org/crmdig/fm_releases

¹⁴ http://www.cidoc-crm.org/crmba/fm_releases

¹⁵ http://www.cidoc-crm.org/crmtex/fm_releases

¹⁶ http://www.cidoc-crm.org/crmsoc/fm_releases

¹⁷ <https://github.com/ICCD-MiBACT/ArCo/tree/master/ArCo-release>

¹⁸ In cases where the published documentation of a model has not revealed details regarding a certain study axis, the corresponding sub-section is omitted.

¹⁹ Collaborative project between the *Asia Pacific Twentieth Century Conservation Art Research Network* (APTCCARN) and the *eResearch Lab at the University of Queensland*.

²⁰ The website of the project is no longer available: <http://www.20thcpaint.org/index.jsp>.

²¹ Other preservation experts are curators, materials scientists, chemists, characterization experts and information scientists.

²² <https://www.w3.org/TR/owl-guide/>

²³ <https://protege.stanford.edu/>

mation see [79]), and also rules for painting conservation were specified using the *OWL 2 Rule Language* (OWL 2 RL) profile²⁴ (implemented in OWLIM -current GraphDB-²⁵ *OpenRDF Sesame* triple store²⁶).

OPPRA combines and reuses the following models: i) *CIDOC CRM* [26], ii) *Open Archives Initiative Object Re-use and Exchange* standard (OAI-ORE), a model for describing aggregations of web resources and relationships between them [60] and iii) *OreChem*, which specializes the core OAI-ORE data model for the Chemistry domain [61]. Certain classes of OPPRA extend classes from CIDOC CRM and OreChem (see [86]). Furthermore, OPPRA reuses existing controlled vocabularies about i) deterioration mechanisms and preservation methods, namely *Getty Art and Architecture Thesaurus* (AAT) [47] and *Visual Glossary of the Australian Institute for the Conservation of Cultural Material* (AICCM) [3], ii) artistic techniques, namely AAT [47] and *International Network for the Conservation of Contemporary Art Database for Artists' Archive* (INCCA) [86] and iii) materials and chemicals, namely *RUG Spectral Database* (from now on RUG) [53], *Conservation and Art Materials Encyclopedia Online* (CAMEO) [71] and *US National Institute of Standards and Technology Chemistry Web-Book* (from now on NIST) [85]. OPPRA ontology consists of totally 2325 classes and 181 relations (either new or reused) [86].

OPPRA classes and relations model information related to the following thematic clusters [51, 86]: i) *Painting*, which represents the identity of the conservation object (e.g., title, artist, period, technique, genre, condition, owner, custodian, provenance), ii) *Paint*, which represents the production material(s) and technique(s) of the conservation object (e.g., paint name, type, chemical property, physical property, pigment, additive), iii) *Paint Decomposition*, which represents alterations of the conservation object (e.g., type, cause, physical/chemical process/reaction), iv) *Paint Analysis Method*, which represents the analysis of the conservation object (e.g., SEM, TEM, FTIR, Raman), v) *Paint Conservation/Preservation Treatment*, which represents the remedial or preventive conservation of the conservation object (e.g., cleaning, environmental conditions control), vi) *Experiment*, which represents experiments that either simulate a damaging process

or test a potential conservation treatment, vii) *Publications*, which represents published works related to CnR processes, experiments, and case studies. *Table 1* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters covered by OPPRA.

Table 1

Correspondence between the CnR aspects and the thematic clusters covered by OPPRA.

CnR Aspect	OPPRA thematic cluster
Administration	<i>Painting</i>
Materials & technology	<i>Paint</i>
Alteration	<i>Paint Decomposition</i>
Investigation	<i>Paint Analysis Method, Publications</i>
Intervention	<i>Paint Conservation/Preservation Treatment</i>

Based on OPPRA, 20thCPaint project developed a system that consists of an online knowledge base and intelligent services, specialized in CnR and *Conservation Science* (CS)²⁷ [86]. The system allows the import of documentation and description of experiments conducted by conservators and material scientists, and the uploading of the experimental data to the knowledge base. Furthermore, it allows automatic extraction of structured data about past research and experiments from publications and websites that are relevant to art conservation. The extracted data from published papers are integrated into the knowledge base, together with data from external databases, allowing their linking to the imported user data and consequently a seamless unified search over critical information about conservation, art history and materials science. The knowledge base and services do not appear to be open for access, while it is not clear if they are still in use.

OPPRA was evaluated by assessing its applicability to the aforementioned services [86]. The evaluation showed that conservators and scientists were able to document and link data using OPPRA, thereby achieving more precise data retrieval. Additionally, the automatic extraction of structured data from relevant publications achieved high accuracy. Finally, the semantic search of integrated cross-disciplinary data hosted in the knowledge base allowed more complex queries, compared to traditional data integration tools.

OPPRA used to be online available, though the url is no longer accessible²⁸. The bibliographic search

²⁴ <https://www.w3.org/TR/owl2-profiles/>

²⁵ <https://www.w3.org/2001/sw/wiki/Owlim>

²⁶ <https://www.w3.org/2001/sw/wiki/Sesame>

²⁷ CS is defined as the “interdisciplinary study of the maintenance, care, and protection of art, architecture, and other cultural

works” [8]. As mentioned in [78], CS is commonly referred to sciences of chemistry, physics and biology.

²⁸ No longer accessible url: <http://www.20thcpaint.org/oppra.owl>

showed no evidence of the model's re-use in later projects for the development of ontologies within the CnR domain.

3.2. Monument Damage Ontology

The main objective of the *Monument Damage Information System (MONDIS)* project²⁹ was the development of the MONDIS system. MONDIS is a knowledge-based system dedicated to damage diagnosis and possible conservation interventions of historical buildings [19].

MONDIS project developed *Monument Damage Ontology (MDO)* in order to efficiently integrate, organize and process diverse information related to the domain of interest, and eventually support documentation and monitoring of historical buildings damages, as well as potential intervention planning/application [12, 14].

The development of MDO was organized in three phases [19]: i) distinguishing the requirements of damage documentation according to literature and international standards, ii) establishment of the relations among damage factors based on CnR methodologies and workflows, iii) validation of the ontology with experts. MDO was implemented in OWL 2 using *OpenRDF Sesame* triple store.

MDO is divided in two parts: i) the core, which represents knowledge about damages of immovable CH and ii) special taxonomies which provide particular vocabularies for the documentation and analysis of damages and interventions [12]. The special taxonomies provide an internal organization of specialized terminology for each class. MDO partially or fully integrates existing taxonomies, thesauri and glossaries, such as *International Database and Gallery of Structures* (from now on IDGS) [100], *Material and component classification from StruFail (MCCS)* [38], *Taxonomy of Building Components for Performance-Based Earthquake Engineering (TBCPBEE)* [93], *RTS: Tridník stavebních konstrukcí a prací (RTS)* [12], *ICOMOS illustrated glossary on stone deterioration patterns (ICOMOS)* [108], *On Site For Masonry Standard Damage Catalogue and List of Structural Typologies and Related Requirements (OSM)* [12]. The core ontology consists of 59 classes and 119 rela-

tions³⁰, while the version of the ontology with the special taxonomies consists of 1258 classes and 121 relations³¹.

The core part of MDO is divided in five thematic clusters [12, 20]: i) *Component and Construction Description*, which represents the physical and functional characteristics of a conservation object ii) *Events*, which represents occurrences that can influence the condition of a conservation object, iii) *Damage Diagnosis and Intervention*, which represents alteration processes that affect a conservation object, as well as remedial or preventive conservation and restoration activities that confront the alteration processes and their effects, iv) *Risk Assessment*, which represents the analysis of a potential event or effect that can potentially harm a conservation object, v) *Measurement Assessment*, which represents the measurement of the magnitude of alteration factors and effects. *Table 2* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters covered by MDO.

Table 2

Correspondence between the CnR aspects and the thematic clusters covered by MDO.

CnR Aspect	MDO thematic cluster
Administration	-
Materials & technology	<i>Component and Construction Description</i>
Alteration	<i>Events, Damage Diagnosis and Intervention</i>
Investigation	<i>Risk Assessment, Measurement Assessment</i>
Intervention	<i>Damage Diagnosis and Intervention</i>

Based on the MDO, MONDIS knowledge-based system provides a set of tools for data import, editing, integration, processing and visualisation [21]. More specifically MONDIS includes the inputting applications i) MONDIS mobile/desktop app and ii) Ontomind profile, as well as the visualizing and supporting tools iii) MONDIS explorer, iv) knowledge matrix and v) terminology editor. MONDIS application allows the documentation (on-site for the mobile version) of the condition of historical buildings based on measurements and observations about examined damages [20-21]. The data are uploaded to the MONDIS server, and after being validated by the users -in order

²⁹ <https://www.mondis.cz/en/web/portal/introduction;jsessionid=7D538FC3B965A2F880719B8AC834CD27>

³⁰ <http://kbss.felk.cvut.cz/ontologies/2011/monument-damage-core.owl>

³¹ <https://kbss.felk.cvut.cz/ontologies/2011/monument-damage-taxonomies.owl>

to verify the quality of the record- they become accessible through the MONDIS explorer. Once shown in the MONDIS explorer records can be integrated with extra information which was not collected and documented during the on-site examination of a building, via Ontomind profile. Ontomind visualizes the ontological mapping of records to the MDO as a simple tree-like structure. The records available in the MONDIS are semantically linked to their diagnosis and possible interventions which are visualized and presented to the user through the knowledge-matrix web-based application. Finally, the MONDIS terminology editor facilitates the browsing or editing of the taxonomies and term lists used in MONDIS software tools. The software tools are available online ³².

Each section of MDO was validated by conducting public workshops and internal meetings [19]. Furthermore, MDO has been populated with records which were used for the presentation of MONDIS software tools functionality [21].

Both the core MDO ontology³³ and the MDO version with the taxonomies³⁴ are available online. According to the bibliographic search, MDO has been used by [113] for the development of a new ontology within the CnR domain (see Section 3.9).

3.3. Color and Space in Cultural Heritage Knowledge Representation

The *Color and Space in Cultural Heritage* (COSCH)³⁵ project aimed to enhance the mutual understanding of tangible CH documentation between the various experts of CnR and *Preservation*³⁶ of the CH domain [15].

An important outcome of the COSCH community research is *COSCH Knowledge Representation* (COSCH^{KR}), a semantic model which encodes experts' knowledge on good practices for visual documentation and analysis (with non-invasive techniques) of tangible CH.

COSCH^{KR} was developed through an iterative process where the gathered knowledge was first verified by groups of experts [55, 111]. A core group performed a survey using questionnaires in order to structure the content, to define work areas through the determination of relevant terms and vocabularies, and to

identify contact persons having a specific expertise and being available for discussions and feedback. Thereafter, experts participated in discussions over three representative case studies, contributing to the development of COSCH^{KR} class structure and dependencies as well as the specification of inference rules [111]. The ontology was implemented in OWL 2.

The top-level structure of COSCH^{KR} consists of five classes interrelated through five properties [15]. In general, the COSCH^{KR} ontology contains more than 750 classes, while its taxonomic hierarchy has in average five levels [111]. COSCH^{KR} subclasses are associated with inference rules, which cut across the top-level classes (e.g. *Revelation of Underdrawing* (subclass of *CHApplications*) has *Requirement 2D_Data* (subclass of *Data*)). While the COSCH^K does not reuse some existing ontology, in the context of its development there was the intention to keep it in line with CIDOC CRM in order to maintain information interoperability.

The core of COSCH^{KR} consists of five top-level classes [15]: i) *Physical Thing*, which represents a conservation object to be measured in terms of its physical and visual characteristics, ii) *CH Applications*, which represents cultural heritage research questions applying to spectral or spatial data, iii) *Data*, which represents digital/analogue data and document types that are either generated or used to process existing/generated data, iv) *Technologies*, which represents technical processes, measurement principles, tools/instruments and the way they are set up to generate or process data, and v) *External Influences*, which represents limitations of a documentation/analysis project (in terms of location, budget, environmental conditions etc.). *Table 3* depicts the correspondence between the CnR aspects (see Section 2) and the top-level classes of COSCH^{KR}.

Table 3

Correspondence between the CnR aspects and the top-level classes of COSCH^{KR}.

CnR Aspect	COSCH ^{KR} top-level classes
Administration	-
Materials & technology	<i>Physical Thing</i>
Alteration	<i>Physical Thing</i>
Investigation	<i>CH Applications</i> , <i>Data</i> , <i>Technologies</i> ,

³² <https://www.mondis.cz/en/web/portal/mobile;jsessionid=7E49FEA02A6B215AE09322FFDAC2A775>

³³ <http://kbss.felk.cvut.cz/ontologies/2011/monument-damage-core.owl>

³⁴ <https://kbss.felk.cvut.cz/ontologies/2011/monument-damage-taxonomies.owl>

³⁵ COSCH is the *COST-Action TD 1201*. The website is the project <http://143.93.114.106/web/guest/coschkr>.

³⁶ *Preservation* is defined as “the protection of cultural property through activities that minimize chemical and physical deterioration and damage and that prevent loss of informational content” [4].

	<i>External Influences</i>
Intervention	-

Based on COSCH^{KR}, [111] describes a recommender system that enables experts from different subdomains of CnR and *Preservation* of tangible CH to put forward their queries and get answers related to documentation/analysis strategies for CH objects and applications without worrying about the complexity of the backend model [55]. Particularly, the proposed system would allow seeking answers to queries of varying complexity and invokes the model to infer underlying facts and heuristics. First of all, the system aims to help users to identify useful factors for different documentation/analysis actions as well as factors that cannot be satisfied, using implicit reasoning. Afterwards, based on those factors, the proposed system would be able to recommend solutions, providing experts with an overview of optimal spectral and spatial recording strategies according to their needs.

The three representative case studies were not only used to enrich the knowledge model but also to evaluate the inference mechanism and the results generated by the mechanism within the COSCH network [111]. The evaluation results [111] showed that the inferences of the model are satisfying, though it is highlighted that COSCH^{KR} is still under development, and therefore the CH applications, inference rules and corresponding recommendations that are to be added in the future will improve the model and its performance.

The ontology is not yet available online, but it is intended to be documented and made publicly available [111]. Additionally, the OWL file may be provided (as noted in the project website³⁷). The bibliographic search showed no evidence of the model's re-use in later projects for the development of ontologies within the CnR domain.

3.4. DOC-CULTURE

The *Development of an integrated information environment for assessment and documentation of conservation interventions to cultural works/objects with nondestructive testing techniques* (DOC-CULTURE)³⁸ project explored non-destructive testing and evaluation techniques (NDT&E) in three axes: i) the NDT&E usage in assessment of conservation object condition and conservation interventions effects, ii) the documentation of NDT&E data through metadata

and conceptual frameworks and iii) the implementation of an information system for the recording and storage of NDT&E data [57-58].

In the context of the DOC-CULTURE project i) a model which is based on CIDOC CRM and DC models and ii) a CIDOC CRM extension are proposed for facilitating the complete representation of CnR processes and stages, including NDT&E techniques [58, 105].

For developing the CIDOC CRM extension, the intended user groups, the documentation requirements and the different CnR processes and stages were defined, and the main entities and properties of NDT&E were specified [58, 105]. Next, different standards for modelling data related to the CH domain were studied and employed for the representation of DOC-CULTURE entities and properties. Furthermore, extra classes required in order to better represent the NDT&E field were added [58].

The DOC-CULTURE model uses classes and properties of CIDOC CRM and *Dublin Core* (DC) in order to represent entities and relations related to CnR and NDT&E data. Additionally, to CIDOC CRM and DC, the elements of the *Metadata Object Description Schema* (MODS), *Resource Description and Access* (RDA), PREMIS and Muse Meta metadata standards are employed for data modelling. Furthermore, based on the study conducted in the context of the DOC-CULTURE project, the extension of three CIDOC CRM classes (*E7_Activity*, *E11_Modification* and *E4_Period*) is proposed [58].

The five main entities of DOC-CULTURE model are [105]: i) *Artifact*, which represents the identity, materials and technique and preservation state of conservation object, ii) *Conservation*, which represents CnR interventions, iii) *Measurement*, which represents measurement actions, iv) *Equipment*, which represents equipment used for CnR and measurement actions and v) *Digital Documentation*, which represents both the digital representation of the conservation object (e.g., digital images) and any digital file produced during CnR or measurement actions. Table 4 depicts the correspondence between the CnR aspects (see Section 2) and the main entities of DOC-CULTURE.

Table 4

Correspondence between CnR aspects and the main entities of DOC-CULTURE.

CnR Aspect	DOC-CULTURE main entities
Administration	<i>Artifact</i> , <i>Digital Documentation</i>

³⁷ <http://143.93.114.106/web/guest/coschkr>

³⁸ <http://www.ndt-lab.gr/docculture/>

Materials & technology	<i>Artifact</i>
Alteration	<i>Artifact</i>
Investigation	<i>Measurement, Equipment, Digital Documentation</i>
Intervention	<i>Conservation, Equipment, Digital Documentation</i>

The proposed model has been used for modelling data related to conservation interventions provided by the *National Archaeological Museum of Athens* [59]. Additionally, the model has been deployed in an information system built for the purposes of the DOC-CULTURE project. The system consists of the following sub-systems, which provide the respective services [59]: i) *image processing*, which allows the application of filters on images of conservation objects, ii) *numerical analysis*, which provides functions for the identification of past conservation processes and detects lesions on the surface of a conservation object, iii) *metadata management*, which allows the matching of metadata elements to database columns, iv) *image annotation*, which enables the addition of annotation marks on an image together with information about previous CnR processes and v) *documentation management functionality*, which implements the proposed metadata scheme as well as the documentation process conducted by CnR experts.

The model and CIDOC CRM extensions are not available online. The bibliographic search showed no evidence of the model's re-use in later projects for the development of ontologies within the CnR domain.

3.5. Ontology for Degradation Phenomena and Annotation on 3D Reconstructions

In [69] a correlation pipeline is proposed for the integration of the three dimensions of a masonry structure: i) semantic dimension, which refers to concepts used by experts in order to describe conservation state, ii) spatial dimension, which refers to spatialized annotations on 3D representations, iii) morphological dimension, which refers to morphological descriptors (e.g., occlusion, curvature, roughness) of annotated regions of 3D representations.

The pipeline uses an ontology (ODPA-3DR) for recording and integrating multidisciplinary observations of the conservation state of masonry structures, spatialized into a *reality-based 3D* representation³⁹ [69].

ODPA-3DR was developed based on *Lassila's method* [63] and was implemented using *Protégé* [70].

³⁹ *Reality-based 3D* is the technique used to create a three-dimensional representation of a real object [69].

The development of the ontology had to meet the requirements of semantic digital acquisition of data related to the morphology of a masonry structure (e.g. photography), the annotation of 2D or 3D representations of a masonry structure, as well as the four thematic description concepts which represent the conservation state of a masonry structure [70]: i) *Material*, ii) *Building technique*, iii) *Architectural component* and iv) *Alteration*.

Different thesauri were built for the different description concepts, based on the terms that have been collected from experts and specialized glossaries (namely *ICOMOS* [105] and *Architecture: méthode et vocabulaire* (from now on ARC)) [88]. To align the ontology with the wider CH domain, the ontology's classes were mapped to CIDOC CRM and related compatible models (CRMsci [32], CRMdig [30] and CRMinf [31]).

Based on the presentation of ODPA-3DR ontology in [70], five main thematic clusters can be identified: i) *Argumentation*, which represents the scientific justification of the observed damages, materials and techniques of a conservation object, ii) *Information*, which represents documents and digital files about a conservation object iii) *Region*, which represents a specific area on a conservation object, iv) *Description Concepts*, which represents material(s), building technique(s), architectural components and degradation phenomena of an area under study, v) *Digital Acquisition*, which represents the digitization of a conservation object. *Table 5* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters covered by ODPA-3DR.

Table 5

Correspondence between the CnR aspects and the thematic clusters covered by ODPA-3DR.

CnR Aspect	ODPA-3DR main thematic clusters
Administration	<i>Information</i>
Materials & technology	<i>Description Concepts</i>
Alteration	<i>Argumentation, Description Concepts</i>
Investigation	<i>Argumentation, Information, Digital Acquisition</i>
Intervention	-

ODPA-3DR is deployed in a system for *reality-based 3D* semantic annotations of masonry structures' conservation states [69-70]. The basic functionality of the system is as follows: The user inputs a set of digital images of a physical object, and marks 2D regions on

these images. Based on the marks, the system extracts spatial relationships (by 2D-to-3D-to-2D projection), as well as morphological features (by morphological analysis). Then, the user annotates the marked regions with description concepts of different thematic layers. Finally, the user indicates references and resources that justify the annotation. The system is not available online.

In order to be populated for testing purposes, ODP-3DR has been mapped to a database holding data generated by experts during digital acquisition and observation of a masonry structure (3D point cloud, scientific imagery, documents, etc.). The first results showed the possibility to calculate the overlapping degree between different annotations (associated with different description concept types) of the same structure (e.g. a wall) [70].

The ontology is not available online. The bibliographic search showed no evidence of the model's reuse in later projects for the development of ontologies within the CnR domain.

3.6. *PARCOURS semantic model*

The *Patrimoine culturel et Restauration-Conservation: Ontologies pour l' Usage d' un Referentiel commun aux differentes Sources de donnees* (PARCOURS) project followed an ontology-driven approach in order to i) address the interoperability problem of CnR data provided by different CH Institutes, and ii) develop a common infrastructure for the semantic retrieval of integrated CnR data [82].

In this context, [82] proposed a semantic model of CnR of tangible CH, the *PARCOURS semantic model*, which aims to integrate CnR data from different sources, in order to enable the querying of data in a unified way.

The development of *PARCOURS semantic model* started with the definition of a core structure and the main CnR requirements of the ontology [11]. During this process scientists and domain experts of the CnR field were involved. Next, a set of sample data structures and example data related to the CnR processes was mapped to different CH domain ontologies (including EDM) [25], ABC [35] and CIDOC CRM [23]). CIDOC CRM was considered as the most appropriate choice for CnR data modelling and it was used and extended -where necessary- for the representation of the domain of interest. Finally, the developed model integrated a set of thesauri in order to tackle the problem

of inconsistency among different CnR terms, at both the syntactic and semantic level. The *PARCOURS semantic model* uses OWL and RDF technology [83-84].

PARCOURS semantic model adopts a layered ontology architecture: i) a top-level ontology, ii) extensions of the top-level ontology with specialized classes, iii) specialized thesauri. The *PARCOURS semantic model* reuses CIDOC CRM and its official compatible model CRMsci. Additionally, it introduces CRMcr, an extension of CIDOC CRM and CRMsci, developed in the context of the *PARCOURS* project. The *PARCOURS semantic model* consists of i) 93 concepts and 82 relationships of CIDOC CRM ontology, ii) 22 concepts and 24 relationships of CRMsci and iii) 63 new concepts and 27 new relationships. The new concepts of CRMcr extension specialize at least one concept from CIDOC CRM or CRMsci, regarding cultural objects, specific events, instruments and techniques, and results of scientific studies. Regarding the use of thesauri, most of them were built during the *PARCOURS* project. They were managed by the *Thesaurus Management System (TMS) Gestion Informatisée de Nomenclatures Collaboratives et Ouvertes*⁴⁰ (GINCO), and were integrated into the CRMcr model.

The classes and relations of the *PARCOURS semantic model* represent knowledge related to five main thematic clusters [11]: i) *Conservation object*, which represents the identification, production and physical features of a conservation object, ii) *Location and owners*, which represents the places that the conservation object has been and the owners that has had during its lifecycle, iii) *Degrading events*, which represents alterations of a conservation object, iv) *Non degrading events*, which represent scientific studies and their results, as well as intervention activities of a conservation object, v) *Instruments*, which represents the equipment used during the various non degrading events. *Table 6* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters covered by *PARCOURS semantic model* thematic clusters.

Table 6

Correspondence between the CnR aspects and the thematic clusters covered by *PARCOURS semantic model*.

CnR Aspect	PARCOURS semantic model thematic clusters
Administration	<i>Conservation Object, Location and owners</i>
Materials & technology	<i>Conservation Object</i>
Alteration	<i>Degrading events</i>
Investigation	<i>Non degrading events, Instruments</i>

⁴⁰ <http://culturecommunication.github.io/ginco/>

Intervention	<i>Non degrading events, Instruments</i>
--------------	--

In the context of the PARCOURS project, a data integration and querying system for the CnR domain was developed based on *PARCOURS semantic model*, providing search and retrieval services [83-84]. The system has the form of a web portal that allows users to retrieve CnR data from multiple datasets. In order to achieve unified access to multiple datasets, the system follows a mediator approach which tackles restrictions imposed by CH institutions, allowing them to keep managing their repositories autonomously. In particular, all data sources involved in the integration process (namely *Research Laboratory for Historical Monuments (LRMH)* and *French Museum's Research and Restoration Center (C2RMF)*) refer to the proposed model, which is used as the mediator. To process a given query, the system interacts simultaneously with the different databases and retrieves data concerning both the physical characteristics of the queried object (e.g., location, authors) and related events (e.g., type of event, used techniques, measurements, actors). Moreover, the system provides a keyword-querying interface, which allows the user to choose specific keywords from the thesauri linked with the *PARCOURS semantic model*. The system does not appear to be open for public use [84].

The ontology is not available online. According to the bibliographic research the extension CRMcr has been reused by [117] for the development of a new ontology within the CnR domain (see Section 3.16).

3.7. Cultural Heritage Artifact Partonomy

The GRAVITATE project⁴¹ developed the GRAVITATE platform which provides tools for reconstructing, annotating and analyzing 3D models of artefacts, as well as for retrieving information about artefacts [89]. The platform is particularly useful for archaeological and conservation study of CH artefacts that are not easily accessible.

A basic outcome of the GRAVITATE project is the *Cultural Heritage Artefact Partonomy (CHAP)*, a SKOS vocabulary developed to describe the relationships between the parts and the overall context of two archaeological collections: the terracotta statues from the port of Salamis, attributed to the Neo-Cypriote style (ca. 600-500 BC), and the small clay statuettes

from the Aya Irini sanctuary, mostly attributed to the Cypro-Archaic period (700-500 BC).

The main classes of CHAP were defined based on an archaeological corpus of texts (i.e. archaeological publications, catalogues, excavation reports) as well as fundamental archeological knowledge [24]. First the main hierarchy was developed. Next, the hierarchy was aligned to a semantic scheme suitable for representing knowledge about both artefacts and their digital counterparts. The CHAP model was edited in *Protégé* software.

The CHAP meronymy has been modelled as a SKOS hierarchy^{42,43}, and has been aligned to a semantic scheme formed by a combination of CIDOC CRM [23], CRMdig [30], *Common Shape Ontology (CSO)* [106] and extra classes defined based on requirements of the *GRAVITATE* project. The extra classes and object properties were introduced as extensions of CIDOC CRM and CRMdig.

The semantic scheme can be divided in two main conceptualization aspects [24]: i) the *physical artefact*, which represents statues and figurines, their features and dimensions and ii) the *digital artefact*, which represents the digital counterpart of statues and figurines, the type of its geometric representation, its areas and areas' dimensions. The CHAP meronymy is included in the first aspect and it is organized in five central concepts all related to statues and figurines [24]: i) *Body part*, which represents anatomical constituents and related characteristics (e.g., hairstyle), ii) *Attire*, which represents accessories (e.g., necklace), iii) *Decoration*, which represents figurative decorations and geometric decorations (e.g., flower), iv) *Colour*, which represents coloring, and v) *Technique*, which represents manufacturing techniques. *Table 7* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters and central concepts covered by CHAP semantic model.

Table 7

Correspondence between the CnR aspects and the main concepts of CHAP semantic model.

CnR Aspect	CHAP semantic scheme's main concepts
Administration	<i>Physical artefact, Digital artefact</i>
Materials & technology	<i>Physical artefact</i>
Alteration	-
Investigation	<i>Digital artefact</i>
Intervention	-

⁴¹ The website of the project is no longer available: <http://www.gravitate-project.eu/>.

⁴² <https://www.w3.org/2004/02/skos/>

⁴³ SKOS uses RDF in order to provide a standard way to represent knowledge organization systems.

CHAP is deployed in the knowledge base of the GRAVITATE platform and it is exploited by the tools provided by the platform for analysis and annotation of 3D models of artefacts [24, 89]. In particular, the GRAVITATE platform's tools are i) *inspection view*, which facilitates the parallel visualization of different 3D models and geometric properties, ii) *feature recognition*, which provides automatic identification of features on 3D models of artefacts and iii) *annotation mode*, which allows the annotation of areas on 3D models of artifacts. The user can input qualitative and quantitative data about annotated areas, which are stored in the knowledge base of the platform. Data and metadata about artefacts and artefacts' 3D models are stored in the knowledge base and can be retrieved using queries.

CHAP has been used for modelling the characteristics and production techniques of statues/figurines in three case studies [24]. CHAP has also been used for semantic annotation (automatic or manual), of 3D reconstructions of objects (whether whole artefacts or fragments of artefacts). The annotation of features observed on objects allows experts to search, retrieve and examine objects in juxtaposition (e.g. based on the morphological analysis of their decoration) in order to validate hypotheses regarding their production or original form (e.g. fragments that belong to the same statue) [24].

The ontology is not available online. The bibliographic search showed no evidence of the model's reuse in later projects for the development of ontologies within the CnR domain.

3.8. Conservation Process Model

The *Built heritage information modelling and management* (BHIMM) project⁴⁴ explored *building information modelling* (BIM) techniques and solutions implemented in the CH domain for management and preservation of historical buildings [1]. In this context, an ontology-based deployment is proposed [1] which exploits *Autodesk Revit*⁴⁵, a *building information modelling* (BIM) software⁴⁶. The deployment aims to provide integration of geometrical and non-geometrical information related to conservation of architectural heritage.

⁴⁴ https://link.springer.com/chapter/10.1007/978-3-030-33570-0_21

⁴⁵ <https://www.autodesk.com/education/free-software/revit>

⁴⁶ BIM is an environment that allows the creation of virtual building models, which can be linked to numerical data, texts, im-

For the purposes of the BHIMM project the *Conservation Process Model* (CPM) was developed, a semantic model that specializes in CnR of historical buildings. CPM has two main objectives: i) to represent knowledge about the related CnR processes and ii) to facilitate integration, mediation and interchange of heterogeneous CnR data, at both the academic and the professional level.

For the development of CPM the main thematic clusters of built heritage were defined. For the formalization of CPM, various existing models were taken into account, namely CIDOC CRM [1, 27], FRBRoo [36] and *AR model* [45]. Additionally, specialists of related fields have been involved. Finally, specialized terms of the *ICOMOS* [108] mapped to CPM classes related to decay phenomena, in order to provide standardized terminology for decay specification. CPM was developed in OWL using the *Protégé* software. Additionally, several rules were developed in *Semantic Web Rule Language*⁴⁷ (SWRL) in order to compare data resulting from different analyses so as to further validate the results of investigation processes [42].

CPM covers knowledge about i) buildings, ii) investigation of buildings, iii) modification (degrading or not) of buildings and iv) related actors. For that purpose, CPM incorporates classes from CIDOC CRM.

Classes and relations are organized in five thematic clusters [1]: i) *Artefact*, which represents the architectural structure, ii) *Investigation Process*, which represents the examination and analysis with non-destructive/destructive methods, iii) *Actors*, which represents people related to the building's history or study, iv) *Lifecycle 1*, which represents the description and analysis of alterations of materials and structure and v) *Lifecycle 2*, which represents conservation planning, interventions and general managing processes. *Table 8* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters covered by CPM.

Table 8

Correspondence between the CnR aspects and the thematic clusters covered by CPM.

CnR Aspect	CPM thematic clusters
Administration	<i>Artefact</i> , <i>Actors</i>
Materials & technology	<i>Artefact</i> , <i>Lifecycle 1</i>

ages, and other types of information. It is used in the fields of *Architecture*, *Engineering* and *Construction* (for further information see [91]).

⁴⁷ <https://www.w3.org/Submission/SWRL/>

Alteration	<i>Lifecycle 1</i>
Investigation	<i>Investigation Process</i>
Intervention	<i>Lifecycle 2</i>

Based on CPM, the authors of [1, 98] present *BIM Semantic Bridge*, an ontology-based module that provides a connection between a BIM-based database and a knowledge base of CnR data. Particularly, *BIM Semantic Bridge* reconstructs the class hierarchies of the two databases, as well as assigned properties and derived instances. In this way, the representations of the two databases are homogenized, allowing the generation of correspondences between similar classes and data stored in the databases, in order to perform data comparison and transfer. BIM-based software *Autodesk Revit* has been used for the annotation of specific areas of decay or intervention on building models. The combination of *Autodesk Revit* and CPM facilitated geometrical representation of CnR data.

CPM has been used to represent and manage CnR information related to the 6th-century *San Saba* oratory, in Rome, and its components [1, 98]. Furthermore, the SWRL rules that had been formulated based on CPM were tested for information inconsistencies which had been provided by the same or different investigation activities and operators. As mentioned in [98], the achieved correlation, querying and inference making over the knowledge captured by CPM enhances the awareness of experts over any interpretation inconsistencies and proposed solution implications, thereby supporting them to choose the most suitable solution.

The CPM model file is not available online. According to the bibliographic search CPM has been reused for the representation of conservation management of urban buildings, including their main features together with vulnerability and transformation index, using the *Risk Map of Cultural Heritage* system of *Culture Ministry of Italian Republic (MiBAC)* [2]. Additionally, [34] presents the development and use of an ontology which adopts the four thematic clusters of CPM (*Artefact, Lifecycle 1, Investigation Process and Actors*).

3.9. Built Cultural Heritage Ontology

The authors of [113], present the *Built Cultural Heritage ontology* (BCHO), a semantic model for the preventive conservation of built CH. BCHO was developed in order to facilitate integration and exchange of heterogeneous information related to built CH.

BCHO was developed using *On-To-Knowledge* methodology [113], which consists of two processes, i) the *Knowledge Meta process*, which led to the construction of the ontology and ii) the *Knowledge process*, which specified activities for populating and testing the ontology [99]. Furthermore, BCHO was verified using *Ontology Pitfall Scanner*⁴⁸ a tool that detects anomalies in the ontology, improving representation quality [115]. The ontology was developed in OWL using Protégé.

BCHO reuses three external ontologies: i) *Geneva CityGML*, an ontology of the *University of Geneva* which is based on CityGML [56], ii) *Monument Damage Ontology* [12] and iii) *Erlagen CRM/OWL*, the OWL implementation of the CIDOC CRM top-level-CH model [28]. Additionally, BCHO ontology introduces a number of extra classes and properties in order to provide a complete semantic framework for management and preventive conservation of built CH [114]. In total, BCHO consists of 148 classes and 102 relations [115].

The basic classes of BCHO are organized in four thematic clusters, which correspond to the four main preventive conservation phases [114]: i) *Analysis*, which covers the collection of information about the conservation object, ii) *Diagnosis*, which covers the assessment of current condition and potential risks of the conservation object, iii) *Therapy*, which covers preventive or remedial interventions (suggested or implemented), and iv) *Control*, which covers the assessment of the implemented intervention. *Table 9* depicts the correspondence between the CnR aspects (see Section 2) and the thematic clusters covered by BCHO.

Table 9

Correspondence between the CnR aspects and the thematic clusters covered by BCHO.

CnR Aspect	BCHO thematic clusters
Administration	<i>Analysis</i>
Materials & technology	<i>Analysis</i>
Alteration	<i>Diagnosis</i>
Investigation	<i>Diagnosis</i>
Intervention	<i>Therapy,</i> <i>Control</i>

So far there has been no deployment of BCHO in a particular SW system or service supporting the CnR process, though the possibility of using BCHO for data integration, 3D representation of buildings, inference making etc. is discussed [115].

In order to be evaluated, BCHO was tested in terms of its ability to represent information regarding the

⁴⁸ <http://oops.linkeddata.es/>

preventive conservation cycle of the *San Luis seminary*, a historical building in the city of Cuenca, Ecuador [115]. The evaluation showed that BCHO is able to represent the information required in each phase. However, the following needs are highlighted which arose during the evaluation [115]: i) guidelines for reference names, ii) user manual with examples ontology usage, iii) addition of methodologies for risk assessment, intervention assignments, etc.

BCHO is available online⁴⁹, though the creators mention that the use, change, or distribution of this product is forbidden, since it is still in a testing stage. The bibliographic search showed no evidence of the model's re-use in later projects for the development of ontologies within the CnR domain.

3.10. *Polygnosis Thesaurus*

In the context of the *Politismos-Technologia, New Technologies in the Research, Study, Documentation and Access to the Information for Cultural Heritage Objects and Monuments* (POLITEIA) project the *Polygnosis* educational knowledge web platform (*Polygnosis* platform) was developed [90]. *Polygnosis* platform can be used to improve access to information about the state-of-the-art of laser applications and methods on conservation, analysis and diagnosis of CH objects [92].

Polygnosis platform deploys an ontological model which is based on CIDOC CRM and its compatible models, CRMsci and CRMdig. Furthermore, the platform deploys *Polygnosis Thesaurus* which is not an ontology *per se*, but has been built based on the ontological model of *Polygnosis* platform. *Polygnosis Thesaurus* aims to facilitate the collaboration of interdisciplinary working groups, in order to retrieve information about optical and laser-based techniques for advanced imaging, analysis and diagnosis of CH objects (movable and immovable CH), an aspect that falls within the CnR domain [90].

The development of the *Polygnosis Thesaurus* commenced with the collection and analysis of scientific sources, terminology and thesauri related to i) conservation and diagnosis of CH objects and ii) laser-based examination techniques [90]. Afterwards, the *Polygnosis Thesaurus* structure was specified developed in three steps: i) definition of semantic categories and facets of the thesaurus according to the main concepts of the *Polygnosis* platform model, ii) formulation of terms hierarchies and finally iii) definition of

semantic relationships between the terms. *Polygnosis Thesaurus* was developed with TMS *THeMaS*⁵⁰.

The thesauri and vocabularies which were studied, include i) AAT, ii) *Network of Research Computer Image SystemS in Europe* (NARCISSE) [62], iii) *Conservation & Restoration Institutions for Scientific Terminology dedicated to Art Learning Network* (CRISTAL) [43] and iv) *European Illustrated Glossary of Conservation terms for Wall-Paintings & Architectural Surfaces* (EwaGlos) [112]. *Polygnosis Thesaurus* is structured in four main facets which are organized in hierarchies (IS-A relations). Apart from the organization of IS-A hierarchies, terms are interconnected through additional (non-hierarchical) binary relations. Furthermore, the four facets of *Polygnosis* have been mapped to CIDOC CRM classes (e.g., *Material Objects* facet maps to *cidoc-crm:E70_Thing*) [90]. The mapping was conducted to ensure a common understanding of terms and concepts by the different scientific communities of CH.

The main concepts of the *Polygnosis* platform model are: i) *Method Application*, which refers to the application techniques of investigation methods, ii) *Example*, which refers to measurement events, examination and diagnosis procedures, iii) *Technical Examination*, which refers to investigation methods, iv) *Objects*, which refers to the object under investigation and its features, v) *Data*, which refers to data derived from object investigation, vi) *Glossary Terms*, which refers to relevant terminology and vii) *Publications*, which refers to relevant bibliographic documentation. The *Polygnosis Thesaurus* is included in the *Glossary Terms* and is organized in four facets [90]: i) *Material Objects*, which represents things with physical substance that constitute complete units and have a relatively stable form with identifiable boundaries in at least one dimension, ii) *Investigation Methods*, which represents systematic procedures designed to detect, identify and demonstrate *Identifiable Features* of *Material Objects*, iii) *Identifiable Features*, which represents features that are inextricably linked with *Material Objects* on which they are found (e.g., construction features, deterioration phenomena etc.), and iv) *Data*, which represents digital informational material related to the documentation of *Material Objects* or information objects and other processes of information acquisition and/or production (by recording, by digitization, through study, during intervention etc.). *Table 10* depicts the correspondence between the CnR aspects (see Section 2) and i) the main concepts

⁴⁹ <https://github.com/BCHOntology/BCHOntology>

⁵⁰ <https://www.ics.forth.gr/isl/themas-thesaurus-management-system>

of the *Polygnosis* platform model and ii) the main *Polygnosis Thesaurus* facets.

Table 10

Correspondence between the CnR aspects and the main concepts of the *Polygnosis* platform model.

CnR Aspect	Polygnosis platform model main concepts
Administration	<i>Objects, Glossary Terms</i>
Materials & technology	<i>Objects</i>
Alteration	<i>Objects</i>
Investigation	<i>Method Application, Examples, Technical Examination, Data, Publications</i>
Intervention	-

Polygnosis Thesaurus supports the educational role of the *Polygnosis* platform, by providing relevant terms that the user might not have thought of, thereby facilitating the exploration and disambiguation of information [90]. The *Polygnosis* platform stores and integrates data, collected from scientific examination methodologies and applications that have been conducted in the laboratory of *Photonics for Cultural Heritage of Institute of Electronic Structure and Laser - Foundation of Research and Technology Hellas* (IESL-FORTH). It captures accumulated knowledge and data regarding diagnostic tools and methodologies, and display cases (the use of tools and application of methodologies to CH objects). In practice, the user (conservator, heritage researcher or practitioner) can select the case that interests him/her either by examination type or evidence type and get descriptive texts regarding the examination type and evidence selected, as well as a list of related cases on different CH objects.

Polygnosis platform and *Polygnosis* thesaurus has been evaluated by users⁵¹ twice [90]: i) during the workshop ‘Laser SYNTHESIS and POLYGNOSIS; The *POLITEIA* Documentation System and Knowledge Platform’, and ii) two years later, during a workshop that was conducted in the *Department of Conservation of Antiquities and Works of Arts in TEI of Athens*. According to the findings, semantic presentation forms and design were considered a key issue for an effective learning platform, while the whole idea of a system which supports a common language in the field of interest was appreciated.

⁵¹ In the first workshop the users were young researchers, scholars, graduate students and professionals, while in the second the users were conservation students, graduates and professionals.

Both the *Polygnosis* platform model and *Polygnosis* thesaurus are not available online. The bibliographic search showed no evidence of the model’s reuse in later projects for the development of ontologies within the CnR domain.

3.11. *HERitage Resilience Against CLimate Events on Site*

The European project HERACLES (*HERitage Resilience Against CLimate Events on Site*) aimed to develop an ontology-based platform, which provides a knowledge base for the efficient storage and management of data related to i) the impact of climate change on immovable CH and ii) the mitigation of potentially harmful effects [48].

An important output of this research was the HERACLES application ontology, a semantic model which covers the preservation of immovable CH. As such, the primary object of the HERACLES ontology is the efficient integration, exchange and retrieval of data related to climate change impact, which are often unstructured, incompatible or in some cases partial.

The HERACLES ontology was developed following a workshop-based approach, while the *WebGenesis*⁵² software was used for development [48]. During the workshop, the participants determined requirements for the conceptual representation according to the methodology of [44]. Next, competency questions were formulated in order to specify the area of interest. The participants identified the main subdomains of the ontology. Next, classes and their relationships were defined, while descriptions of the classes were added to facilitate human comprehension of the data model. Other ontologies, related to the domain of interest have been studied and used as reference material for the ontology. The *WebGenesis*⁵³ software was used for development of HERACLES [48].

The sources used as reference material for the HERACLES ontology, include: i) SWEET ontologies [94], ii) the *Materials Ontology* [10], iii) *Open Geospatial Consortium* (OGC) standards including the *Sensor Things Application Programming Interface* (from now on ST-API) [65] and the *Internet of Things Tasking Capability* (from now on ITTC) [52]. HERACLES consists of 109 classes, 204 object properties (102 properties plus their inverse), 49 data properties and 141 individuals [49].

⁵² <https://www.iosb.fraunhofer.de/servlet/is/21107/>

⁵³ <https://www.iosb.fraunhofer.de/servlet/is/21107/>

HERACLES core classes are [48-49]: i) *Cultural Heritage*, which represents monumental art and buildings, ii) *Cultural Heritage Properties*, which represents characteristics of monumental art and buildings, iii) *Cultural Heritage Element*, which represents components of monumental art and buildings, iv) *Damage and Effect*, which represents changes that occurred on a component of monumental art and buildings due to an event, as well as abiotic factors that induce climate events that in turn cause damages, v) *Material*, which represents materials used in CH management, vi) *Action*, which represents measurements for monitoring, analyzing or preserving monumental art and buildings, vii) *Stakeholders*, which represents actors in CH preservation, viii) *Risk*, which represents the risk of harm of monumental art and buildings and ix) *Location*, which represents spatial information (e.g., the position of a measurement sensor). *Table 11* depicts the correspondence between the CnR aspects (see Section 2) and the core classes of HERACLES.

Table 11

Correspondence between the CnR aspects and the core classes of HERACLES.

CnR Aspect	HERACLES core classes
Administration	<i>Cultural Heritage</i> , <i>Stakeholders</i> , <i>Location</i>
Materials & technology	<i>Cultural Heritage Properties</i> , <i>Cultural Heritage Element</i> , <i>Material</i>
Alteration	<i>Damage and Effect</i>
Investigation	<i>Material</i> , <i>Action</i> , <i>Risk</i>
Intervention	<i>Material</i> , <i>Action</i>

The HERACLES ontology serves as the backbone of the HERACLES knowledge base: every entry in the knowledge base is an instance of the ontology [49]. HERACLES knowledge base collects and integrates multisource information in order to effectively i) provide complete and up-to-date awareness about the conditions occurring in a CH site and ii) support retrieval and decision making for innovative measurements improving CH resilience. Particularly, HERACLES platform provides input forms, through which data are semantically integrated. The input form contains several text fields (e.g., for textual descriptions), while links to other instances can be created through selecting elements from lists. Additionally, an online

endpoint is provided to facilitate instance creation/deletion. Regarding presentation of data, for each entry the system provides images and quick links to useful related information (e.g., damages, reports, sensor data). This endpoint is also used by the HERACLES mobile application, which allows reporting of damages on site, by delivering information such as location coordinates and description, as well as pictures, video footage etc. to the HERACLES knowledge base, in order to be presented to the back-end user.

Both the HERACLES platform and the HERACLES ontology have been evaluated in the context of four use-cases [49]. The use-cases included: i) Minoan Palace of Knossos in Heraklion, Crete, ii) Venetian Sea Fortress of Koules in Crete, iii) Consoli Palace in Gubbio, Italy and iv) the town walls in Gubbio, Italy. These test sites represent key study-cases for the impact of climate change on European CH assets. Using the HERACLES ontology made possible the semantic integration of collected data, while the platform effectively supported the retrieval of data required by experts in order to prepare reports for monuments condition state and environmental conditions [49].

The ontology is available online⁵⁴. The bibliographic search showed no evidence of the model's reuse in later projects for the development of ontologies within the CnR domain.

3.12. Heritage Building Core Ontology

The COST action *Innovation in Intelligent Management of Heritage Buildings*⁵⁵ (COST-TD1406) aims to create a European network in order to promote synergies between different specialists and stakeholders of the *Heritage Building* (HB) domain, as well as to achieve a unified common understanding and operation within the domain.

In the context of COST-TD1406, an ontology for the *Heritage Building* (HB) domain, namely the *HB Core Ontology* (HBCO), has been developed [102-103]. The ontology aims to support HB experts to efficiently collect and use data, produced by the different specialists of the domain in the context of the various HB lifecycle activities (including analysis, documentation, preventive conservation, restoration, economic aspects of HB, use and management).

HBCO was developed using METHONTOLOGY methodology [41]. The three phases of the adopted methodology were conducted in six steps: i) specify-

⁵⁴ <https://github.com/FraunhoferIOSB/HERACLES>

⁵⁵ <https://www.cost.eu/actions/TD1406/#tabs|Name:overview>

ing purpose, level of formality and scope of the ontology, ii) collecting related knowledge, iii) building a glossary of specialized terms of the domain, organizing the terms in tables, formulas and rules, iv) checking for existing ontologies that can be used, v) encoding the ontology in a formal language (namely OWL using Protégé), vi) documenting the ontology

Existing terminologies and ontologies were reused for the development of HBCO, including: i) *buildingSMART Data Dictionary* (buildingSMART) [18], ii) *FOAF Vocabulary Specification* (FOAF) [16], iii) *ISA Programme Location Core Vocabulary* (Location) [39], iv) *ISA Programme Person Core Vocabulary* (Person) [54], v) *Time Ontology in OWL* (Time) [29], vi) CIDOC CRM [26]. Additionally, HBCO introduces a number of extra classes and properties in order to represent HB related data [101]. The ontology consists of 87 classes, 43 object properties and 18 data properties [101].

The main subgroups of the HBCO concepts are [101]: i) *location*, which refers to building location, ii) *time*, which refers to the building’s history and related events, iii) *geometry*, which refers to the building’s geometry. expressed using some coordinate reference system, v) *management*, which refers to activities related to the management of the building, v) *FOAF related concepts*, which refer to actors related to the building and their relations and vi) *CH related concepts*, which refer to the description of the building in terms of materials, construction etc. and activities related to building preservation. *Table 12* depicts the correspondence between the CnR aspects (see Section 2) and the main concepts’ subgroups of HBCO.

Table 12

Correspondence between the CnR aspects and the main concepts’ subgroups of HBCO.

CnR Aspect	HBCO main concepts’ subgroups
Administration	<i>Location, Geometry, Time Management, FOAF related concepts, CH related concepts</i>
Materials & technology	<i>CH related concepts</i>
Alteration	<i>CH related concepts</i>
Investigation	<i>Management, CH related concepts</i>
Intervention	<i>Management, CH related concepts</i>

HBCO was populated with HB data about 12 building projects [102-103]. Furthermore, [101] theoretically describes a platform for storage and management of HB data.

The ontology is not available online. The bibliographic search showed no evidence of the model’s reuse in later projects for the development of ontologies within the CnR domain.

3.13. Conservation Reasoning Ontology

The work presented in [77] proposes the *Conservation Reasoning ontology* (CORE), a semantic model which was developed with the purpose of facilitating integration and querying of data related to conservation of byzantine icons.

The CORE ontology extends certain classes from CIDOC CRM, in order to facilitate CnR data modelling. The extension of CIDOC CRM was conducted in a bottom-up manner based on empirical analysis, scientific knowledge and existing CnR vocabularies [77]. Finally, inference rules were formulated in order to facilitate semantic querying [77].

CIDOC CRM classes and relations were reused, as well as CnR vocabularies, such as AAT [47], CAMEO [71] and AIC wiki [5]. The ontology includes general concepts that refer broadly to CnR of artwork, as well as concepts specific to CnR of byzantine icons. The ontology was developed in OWL using Protégé [77].

The main classes of the CORE ontology are [77]: i) *Actor*, which refers to humans and groups involved in the CnR, ii) *Condition State*, which refers to the categorization of the condition of a conservation object based on visual examination, iii) *Date*, which refers to the dates of events (e.g. production year), iv) *Dimension*, which refers to the measurable sizes of an object or its environment, v) *Equipment*, which refers to CnR or production instruments and tools, vi) *Event*, which refers to processes or activities related to a conservation object or its environment, vii) *Information Object*, which refers to inscriptions, publications and documents related to conservation objects, viii) *Man-Made Object*, which refers to conservation objects, object components (e.g. structural layer) or production materials, ix) *Physical Feature*, which refers to features of a conservation object (e.g. a damage), x) *Place*, which refers to the environment of the conservation object (interior or exterior), xi) *Timespan*, which refers to the duration of an event. *Table 13* depicts the correspondence between the CnR aspects (see Section 2) and the main classes of CORE.

Table 13

Correspondence between the CnR aspects and the main classes of CORE.

CnR Aspect	CORE ontology main classes
Administration	<i>Actor,</i>

	<i>Date, Timespan, Dimension, Information Object, Place</i>
Materials & technology	<i>Man-Made Object, Equipment</i>
Alteration	<i>Condition State, Event, Physical Feature</i>
Investigation	<i>Event, Equipment</i>
Intervention	<i>Event, Equipment</i>

In order to be evaluated, CORE was populated with selected data from conservation reports, while competency questions were formed as SPARQL and SPARQL DL queries. According to the evaluation results [77], modelling CnR data using CORE allowed for the formulation of queries such as “Which are the structural layers that have ever been recorded about an object” and “Which are the structural layers of an object since the last conservation treatment”, which can assist the CnR professional during the collection of information about the history and condition of a conservation object.

The ontology is not available online. According to the bibliographic search, the model has been reused for the representation of data related to preventive conservation and sensor data [76].

3.14. Chinese ancient buildings damages ontology

An ontology for the CnR of ancient buildings (CABD) is proposed in [110]. CABD was developed in order to facilitate querying and case-based reasoning of CH information related to ancient Chinese building damages and repairs.

For the development of CABD, information related to damages in ancient Chinese buildings was analyzed, focusing on the process of selecting the appropriate CnR method for damage repair. The mapping of specific repair methods to specific damage cases was implemented in the form of SWRL rules [110]. The ontology was developed in Protégé.

The main classes of CABD are [110]: i) *Ancient building*, which refers to the conservation object, ii) *Damage body*, which refers to the damaged part of the conservation object, iii) *Damage object*, which refers to the damage, iv) *Damage feature*, which refers to quantitative characteristics of the damage (e.g. width), v) *Repair craft*, which refers to the CnR intervention.

Table 14 depicts the correspondence between the CnR aspects (see Section 2) and the main classes of CABD.

Table 14

Correspondence between the CnR aspects and the main classes of CABD.

CnR Aspect	CABD ontology main classes
Administration	-
Materials & technology	<i>Ancient building, Damage body</i>
Alteration	<i>Damage object, Damage feature</i>
Investigation	-
Intervention	<i>Repair craft</i>

To be tested, the proposed model was populated with data describing cracks on the surfaces of buildings of WuDian type, together with the appropriate repair method. Based on these data, the ontology was used for retrieving cases of damages and corresponding repair methods that present similarities with a given case (target case), by formulating SPARQL queries [110].

The ontology is not available online. The bibliographic search showed no evidence of the model’s reuse in later projects for the development of ontologies within the CnR domain.

3.15. Network of Modular Ontologies for Heritage Buildings

A framework for a *Linked Data-based Heritage BIM* is proposed in [14], in order to improve the modeling of structured building data and its exchange over the Web. In this context of the framework a network of modular ontologies (NMOHB) is proposed for obtaining rich and interoperable heritage building descriptions. The development of NMOHB was based on the benchmark requirements for the *Linked Data-based Heritage BIM*.

NMOHB adopts a layered architecture [14]: i) the core ontologies, which include basic concepts related to construction, ii) specialized taxonomies which extend the core ontologies, iii) metadata ontologies, which are used for data exchange. For developing NMOHB existing ontologies such as *Building Topology Ontology* (BOT) [96] and *Data Catalogue Vocabulary* (DCAT) [6] have been reused. Also some ontologies which were developed in collaboration with other projects have been reused, namely *Ontology for Managing Geometry* (OMG) [109], *Ontology for Property Management* (OPM) [95], *Damage Topology Ontology* (DOT) [46]. Additionally, some ontologies were developed in the context of the research, namely *Construction Tasks Ontology* (CTO), *ConTax*

Ontology (ConTax) and *Construction Dataset Context Ontology* (CDC), as well as specialized taxonomies which were developed either from scratch, such as *Construction Properties* (CP), *Built Heritage Properties* (BHP), *Ontology for Geometry Formats* (FOG), *Geometry Metadata Ontology* (GOM), *MDCS Damage Atlas Ontology* (MDCS-O), *MWV Damage Ontology* (MWV-D) and *MWV Tasks* (MWV-T), or by transforming existing vocabularies, such as *AAT-Buildings* which includes OWL classes to classify buildings extracted and restructured from the AAT [47]. BOT, DOT, CTO, OMG and OPM are the core ontologies of the NMOHB.

The concepts of the core ontologies of the NMOHB are organized in the following groups [14]: i) *Building topology*, which refers to the building, its structure and materials, ii) *Construction damages*, which refers to the observable damages or damaged areas of the building, as well as the inspection of those damages, iii) *Geometry descriptions*, which refers to 2D and 3D representations of a building and their metadata, iv) *Construction tasks*, which refers to CnR interventions. Table 15 depicts the correspondence between the CnR aspects (see Section 2) and the groups of concepts of the core ontologies of NMOHB.

Table 15

Correspondence between the CnR aspects and the main concepts' groups of NMOHB.

CnR Aspect	NMOHB main concepts' groups
Administration	<i>Buildings</i>
Materials & technology	<i>Buildings</i>
Alteration	<i>Construction damages</i>
Investigation	<i>Construction damages.</i> <i>Geometry descriptions</i>
Intervention	<i>Construction tasks</i>

To be tested, the developed ontology network was deployed in five example cases, inspired by two built heritage projects in Ghent [14]. The example cases demonstrate the key functionalities of NMOHB and underlying technologies, which are: i) the possibility of linking and using geometry from a variety of common geometry formats, ii) the use of flexible and integrated classification systems, iii) the provision of

combined views on previously disparate datasets, iv) the provision of feedback mechanisms for construction damages and tasks based on structured data and v) the provision of metadata about construction datasets to manage the flow of internal and exchanged datasets. As discussed in [14] the outcome of the evaluation phase indicated that most requirements related to the data structure and management workflows (e.g. data exchange) have been addressed successfully by the proposed modular ontology network. However, it is highlighted that more contributions of domain experts are considered necessary to maintain, extend and verify the content of the NMOHB taxonomies. Especially the property taxonomies, damage and task classification are currently not extensive enough for use in real projects.

All the different ontologies of the network (such as BOT⁵⁶, DCAT⁵⁷, OMG⁵⁸, OPM⁵⁹, DOT⁶⁰, CTO⁶¹, ConTax⁶², CDC⁶³, FOG⁶⁴, GOM⁶⁵, MDCS-O⁶⁶, MWV-D⁶⁷, MWV-T⁶⁸, AAT-Buildings⁶⁹) used in the scheme are available online. The bibliographic search showed no evidence of the model's re-use in later projects for the development of ontologies within the CnR domain.

3.16. CRMBnF

The *Data mining and ALGOritms for predicting the condition of COLlections* (DALGOCOL) research project⁷⁰ is a collaboration between the *French National Library* (BnF) and the *Heritage Sciences Foundation*. The project aims to develop a decision support system for conservation experts for analyzing the conservation history of documents in order to enable reliable predictions about their physical state.

In this context, [117] proposes the *Conceptual Reference Model of BnF* (CRMBnF). The proposed model aims to i) represent the conservation history of a document as a sequence of events (conservation trajectories) providing a unified vocabulary for the events and ii) be used for the pairwise comparison of events in two conservation trajectories overcoming terminological heterogeneity of events.

⁵⁶ <https://w3c-lbd-cg.github.io/bot/>

⁵⁷ <https://www.w3.org/TR/vocab-dcat-2/>

⁵⁸ <https://www.projekt-scope.de/ontologies/omg/archive/0-3/>

⁵⁹ <https://w3c-lbd-cg.github.io/opm/>

⁶⁰ <https://alhakam.github.io/dot/>

⁶¹ <https://mathib.github.io/cto-ontology/>

⁶² <https://databus.dbpedia.org/ontologies/w3id.org/con-tax/>

⁶³ <https://databus.dbpedia.org/ontologies/w3id.org/cdc>

⁶⁴ <https://databus.dbpedia.org/ontologies/w3id.org/fog>

⁶⁵ <https://mathib.github.io/gom-ontology/>

⁶⁶ <https://mdcs.monumentenkenis.nl/damageatlas/ontology/index-en.html>

⁶⁷ <https://mathib.github.io/mwv-d-taxonomy/#>

⁶⁸ <https://mathib.github.io/mwv-t-taxonomy/#>

⁶⁹ <https://mathib.github.io/aat-buildings-taxonomy/#>

⁷⁰ <https://www.bnf.fr/en/ra2018-introduction>

CRMBnF was developed in close collaboration with domain experts at the BnF and is encoded in RDF/S 2 and OWL. For developing the ontology three external ontologies were re-used [114]: CIDOC CRM [26], CRMsci [32] and CRMcr [11].

CRMBnF includes two main classes [117]: i) *Conservation Process*, which represent CnR interventions, ii) *Degradation*, which represent deterioration events that occur on a conservation object. *Table 16* depicts the correspondence between the CnR aspects (see Section 2) and the main classes of CNRBnF.

Table 16

Correspondence between the CnR aspects and the main classes of CNRBnF.

CnR Aspect	CNRBnF main classes
Administration	-
Materials & technology	-
Alteration	<i>Degradation</i>
Investigation	-
Intervention	<i>Conservation Process</i>

CRMBnF has been used for the comparison of the events between conservation trajectories, a process which serves as a basis to build an adequate predictive model for the decision support system [117]. The comparison is performed by computing a similarity score using the ontology, considering the relative position of the concepts corresponding to the names of the events in the ontology.

Three experiments were conducted, using real conservation and communication datasets from the BnF. The first two experiments aimed to assess the effectiveness of using the ontology for finding matching events and for evaluating the similarity of trajectories. The third experiment aimed to show the effectiveness of using the ontology and the LCESS measure by comparing the computed similarity to a gold standard [117]. According to the results, the proposed ontological approach improves the precision of the matching process [117].

The ontology is not available online. The bibliographic search showed no evidence of the model's re-use in later projects for the development of ontologies within the CnR domain.

4. Discussion and conclusions

The study of the different representations of CnR knowledge and their deployment in systems and services that exploit SW technologies and methods revealed some interesting points of convergence or divergence, which are discussed in the following sections. The study findings are overviewed in *Table 17* and are organized and discussed according to four axes: i) content, ii) re-use of existing models, iii) deployment.

Table 17

Overview of the reviewed works according to i) content, ii) existing models re-use and iii) deployment.

Model's Name	Content		Re-use of Existing Models			Deployment	
	Object Type	CnR Aspects ⁷¹	Ontologies	Metadata Standards	Terms Lists/Thesauri	Related System	Services ⁷²
OPPRA	Movable CH	ADM, MAT, ALT, INV, INT	CIDOC CRM, Ore-Chem	OAI-ORE	AAT, AICCM, INCCA, RUG, CAMEO, NIST	20thCPaint Platform	INTEG, SEA, ANN
MDO	Immovable CH	MAT, ALT, INV, INT	-	-	IDGS, TBCEP-BEE, MCCC, RTS, ICOSMOS, OSM	MONDIS	INTEG, SEA, VIS
COSCH ^{KR}	Movable & Immovable CH	MAT, ALT, INV	-	-	-	COSCH ^{KR} Platform	REC

⁷¹ ADM: administration, MAT: material & technology, ALT: alteration, INV: investigation, INT: intervention

⁷² INTEG: data integration, SEA: semantic search, VIS: visualization, ANN: semantic annotation, FEA: feature recognition, REC: recommendation of digitization and analysis methods

DOC-CULTURE	Movable CH	ADM, MAT, ALT, INV, INT	CIDOC CRM	DC, MODS, RDS, PREMIS, Muse Meta	-	DOC-CULTURE Information System	VIS, ANN
ODPA-3DR	Immovable CH	ADM, MAT, ALT, INV	CIDOC CRM, CRMsci, CRMdig, CRMinf	-	ICOMOS, ARC	<i>Reality-based 3D semantic annotation of masonry structures' conservation state</i>	SEA, VIS, ANN
PARCOURS semantic model	Movable & Immovable CH	ADM, MAT, ALT, INV, INT	CIDOC CRM, CRMsci	-	-	PARCOURS System	INTEG, SEA
CHAP	Movable CH	ADM, MAT, INV	CIDOC CRM, CRMdig, CSO	-	-	GRAVITATE Platform	SEA, VIS, ANN, FEA
CPM	Immovable CH	ADM, MAT, ALT, INV, INT	CIDOC CRM, FRBRoo, AR model	-	ICOMOS	<i>Ontology-based BIM Semantic Bridge</i>	INTEG, VIS, ANN
BCHO	Immovable CH	ADM, MAT, ALT, INV, INT	Geneva CityGML, MDO Erlagen CRM/OWL	-	-	-	-
Polygnosis Thesaurus	Movable & Immovable CH	ADM, MAT, ALT, INV	CIDOC CRM	-	AAT, NAR-CISSE, CRISTAL, EwaGlos	Polygnosis Platform	INTEG, SEA
HERACLES	Immovable CH	ADM, MAT, ALT, INV, INT	SWEET, Materials Ontology	OGC, ST-API, ITTC	-	HERACLES Platform	INTEG, SEA, VIS
HBCO	Immovable CH	ADM, MAT, ALT, INV, INT	FOAF, Location, Person, Time, CIDOC CRM	buildingSMART	-	-	-
CORE	Movable CH	ADM, MAT, ALT, INV, INT	CIDOC CRM	-	AAT, CAMEO, AIC	-	-
CABD	Immovable CH	MAT, ALT, INT	-	-	-	-	-
BHG	Immovable CH	ADM, MAT, ALT, INV, INT	BOT, DCAT, DOT, OMG, OPM	-	AAT	Linked Data Heritage BIM	INTEG, SEA

CRMBnF	Movable CH	ALT, INT	CIDOC CRM, CRM- sci, CRMcr	-	-	-	-
--------	------------	----------	----------------------------------	---	---	---	---

4.1. Content

Obviously a common requirement is the modelling of the *conservation object* per se. The majority of the reviewed models specialize in a specific type of conservation objects: in particular, 8 out of the 16 reviewed models specialize in immovable CH, while 5 of them specialize in movable CH (with only 3 models covering tangible CH in general). Those numbers suggest a significant interest in SW technologies exploitation in the CnR of the immovable CH community.

Figure 1 depicts the degree to which the CnR aspects defined in Section 2 are covered by the reviewed models. The *materials & technology* aspect is covered by the majority (15 out of 16) of the reviewed models. This is expected since the conservation object itself, its structure, materials and features are in the center of the initial stage of the CnR process, i.e. the establishment of the conservation project (see Section 1). The *investigation* and *alteration* aspects are also covered by 15 out of 16 models, which is expected since the

main objective of all the reviewed works is the organization and management of CnR data, and the investigation stage constitutes the primary means of collecting such data. The expert conducts investigation, in the first stage of the CnR process but also in later stages for conducting risk evaluation and identifying the appropriate solutions. The main objective of the investigation is to enable the expert in identifying and recording the attributes of a conservation object, both material (e.g., structural layers) and non-material (e.g., historic value), as well as to deduce current and potential preservation issues that may occur due to inaction or action (e.g., deterioration due to environmental conditions, deterioration due to an intervention). On the other hand, while the *intervention* aspect is of apparent interest for the CnR domain and it also constitutes an important means of acquiring CnR data, it is only covered by 11 models, which is less than expected (especially compared to the *investigation* aspect). Finally, the *administration* aspect is covered by 12 out of the 16 reviewed models, probably because some of the models do not focus on administrative data of the conservation object or the CnR processes.




Fig. 1. Coverage of CnR aspects

An interesting observation regarding the content is that different models allow different granularities for categorization of the various concepts. For example, the CPM model represents a building (i.e. the conservation object) using classes of specific building types (*EcpmA36_Oratory*), while the COSCH^{KR} model represents a building at a more abstract level, using the class *coschkr:CompositeObject*. In another example, MDO represents the concept of *material* using a number of specialised classes (*mdo:CementMortar*, *mdo:SodaGlass*, etc.) whereas HERACLES provides only the general class *heracles:Material* for the same purpose. Different granularities of representation may be handy in different use cases (e.g., we may not be certain about the use of a building in order to categorize it as *Oratory*) or different reasoning requirements.

4.2. Re-use of existing models

While the scope and context of the reviewed works may differ, there is a common interest for providing interoperability of CnR data. Towards that direction, most of the reviewed models were developed either

from scratch and were then mapped/aligned to existing ontologies, or they were built entirely by extending existing ontologies (with the exception of MDO, COSCH^{KR} and CABD).

The CIDOC CRM ontology, as well as its compatible models, were largely adopted by the majority of the projects. Additionally, specialised ontologies from other knowledge domains relevant to CnR were adopted for the development of the models. *Figure 2* depicts the origin domain of the various ontologies, metadata standards, term lists and thesauri that are re-used by the reviewed models.

Most of the works took into account and adopted ontologies from other fields such as the field of *Architecture & Construction* (*AR model* was adopted by *CPM*), the field of *Chemistry and Material Science* (*OreChem* was adopted by *OPPRA*, *MO* was adopted by *HERACLES*), the field of *Earth Science* (e.g., *SWEET* ontologies were adopted by *HERACLES*) and the field of *Digital Media* (*CSO* was adopted by *CHAP*). Furthermore, thesauri, glossaries and controlled vocabularies, specialized either in CnR or in other related domains, were similarly employed.




Fig. 2. The origin domain of the ontologies, metadata standards, terms lists and thesauri that are reused by the reviewed models.

4.3. Deployment

All the models included in the current survey have been employed for developing SW systems that offer various domain-specific services. In the course of the survey we identified a number of services that are common among those systems. In particular:

- *semantic search*, which refers to retrieval of CnR data based on the meaning of the search query.
- *data integration* of conservation-related data, derived from remote and possibly heterogeneous sources, into a unified form.
- *visualisation* of CnR data (e.g., 2D or 3D visualization of alterations, mind maps).
- *semantic annotation* of i) text with conservation-related content (e.g., scientific papers) or ii) 2D/3D models of conservation objects with semantically structured machine-processable data.
- *feature recognition* (e.g., decorative element, structural element) of conservation objects.
- *recommendation* of digitization and analysis methods based on i) object characteristics and ii) CnR expert's requirements.

Figure 3 depicts the degree to which the identified services are provided by the systems built upon the reviewed models. It should be mentioned that 5 out of 16 reviewed models (namely BHO, CORE, CABD and CRMBnF) have not been deployed in some system, though they have been used for data modelling and testing SPARQL queries.

Apparently, *semantic search* is the most popular among provided services, while *data integration*, *visualization* and *semantic annotation* follow. The popularity of these services is expected considering that they intend to support the CnR process (see Section 1) and by extension CnR decision-making.

Decision-making plays a central role in the *day-to-day* work of the CnR professional [50, 64]. In broad terms, decision making in CnR can be thought of as equivalent to the *conservation process* itself [64]. Conservators participate in decision-making processes by i) contributing their expertise to a broader, multi-disciplinary group of CH experts, and ii) making their own CnR decisions [50]. In this context, *data integration* and *semantic search* provide unified access to the required knowledge/information (in order to make an effective intervention recommendation), in this way reducing information retrieval time and improving quality of search results (e.g., information completeness), consequently supporting the different stages of the CnR process, from the problem identification to the potential risks and the selection of an efficient solution. Similarly, *visualization* contributes to CnR decision-making, at different stages of the CnR process, by providing a more articulate and meaningful documentation as well as correlation of the requested information (e.g., the visualization of extent and severity of an alteration phenomenon gives a thorough view of the conservation object's condition). Finally, *semantic annotation*, either text-based or visual (2D/3D), is used alongside semantic search and visualization contributing to the production of context which can be retrieved and displayed.




Fig. 3. Provision of services by systems built upon the reviewed models.

On the other hand, *actual* recommendation of digitization and analysis methods (as an explicit service), is proposed by only one system (the COSCH^{kr} platform). And even in that case, the recommendation merely covers a certain step of the CnR decision-making process, that is selecting the appropriate digitization and analysis method for identifying the technology and condition of a conservation object in order to determine intervention requirements.

4.4. Further Research: Towards an ontology of CnR decision-making

As discussed in the previous section, decision-making constitutes the backbone of the CnR task. Through decision-making the expert transforms various chunks of possibly diverse information relevant to a conservation object, such as scientific information (e.g., material ageing), administrative (e.g., loaning preconditions) or even cultural information (e.g., historical value), into concrete and specific *intervention decisions*. The current survey showed that all the reviewed models more or less represent knowledge relevant to intervention decision-making, and that they have actually been employed for implementing semantic services that support intervention decision-making; although merely in an *assistive* way (for instance, by offering semantic retrieval of data related to a conservation diagnosis). In other words, the decision-making process *per se*, i.e. including all the parameters, criteria, intervention options etc. potentially involved, and more importantly their complex *interdependence*, which often generates restrictions that can dramatically affect the decision-making outcome, has *not* been modelled as of yet. For example, the *MDO*, *OP-PRA*, *DOC-CULTURE*, *PARCOURS semantic model*, *CPM*, *BCHO*, *HERACLES*, *HBCO*, *CORE*, *CABD*, *CRMBnF* models, as well as some of the models of *NMOHB* provide the relations necessary to correlate an intervention with i) a conservation object and ii) one or more alteration phenomena. However, as [42] highlights, a simple correlation between conservation interventions and alteration phenomena does not adequately represent the potential complexity of interplay between the various parameters that need to be taken into account in order to come to a valid intervention recommendation.

Drawing on the above, it is strongly suggested that further research should be conducted in order to analyze and conceptualize intervention decision-making at a granularity that will allow a more thorough repre-

sentation, suitable to drive the implementation of services that will deliver intervention recommendations, as an explicit *decision-support* service. For example, a semantic model of intervention decision-making knowledge by means of a formal ontology can serve as the basis for the development of decision-support systems, with the objective of recommending specific, case-based intervention options. Eventually, such systems will actively assist the CnR expert i) to better organize their thoughts and determine requirements over a decision-making task, and most importantly ii) to retrieve and assess valid intervention options more quickly and effectively. Furthermore, a formal ontology will enable experts to share decision-making knowledge and exchange data with the wider community in a unified way [13]. Dissemination and exchange of know-how about intervention decision-making among CnR experts is bound to benefit them in multiple ways, for example, in training new professionals or effectively communicating information with clients, stakeholders or other (often interdisciplinary) professional groups [72-73], thus, elevating their work to the next level.

Acknowledgements

The research work was supported by the Hellenic Foundation for Research and Innovation (HFRI) under the HFRI PhD Fellowship grants (Fellowship Number: 115).



References

- [1] Acierno, M., Cursi, S., Simeone, D., Fiorani, D. (2017). Architectural Heritage Knowledge Modelling: An Ontology-Based Framework for Conservation Process. *Journal of Cultural Heritage*, 24, p.124-133.
- [2] Acierno, M., Fiorani, D. (2019). Innovative Tools for Managing Historical Buildings: The Use of Geographic Information System and Ontologies for Historical Centers. In: *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, [online] XLII-2/W11, pp.21-27. Available at: <https://doi.org/10.5194/isprs-archives-XLII-2-W11-21-2019> [Accessed 07 Jun. 2021].
- [3] AICCM, (2020). *Visual Glossary*. [online] Available at: <https://aiccm.org.au/conservation/visual-glossary/> [Accessed 07 Jun. 2021].

- [4] AIC, (2020). *Conservation Terminology*. [online] Available at: <https://www.culturalheritage.org/about-conservation/what-is-conservation/definitions> [Accessed 07 Jun. 2021]
- [5] AIC Wiki (2021). AIC Wiki. [online]. Available at: https://www.conservation-wiki.com/wiki/Main_Page. [Accessed 07 Jun. 2021].
- [6] Albertoni, R., Browning, D., Cox, S., Gonzalez Beltran, A., Perego, A., Winstanley, P. (2020). *Data Catalog Vocabulary (DCAT) - Version 2* [online]. Available at: <https://www.w3.org/TR/vocab-dcat-2/> [Accessed 07 Jun. 2021].
- [7] Appelbaum, B. (2007). *Conservation Treatment Methodology*. London: Routledge, <https://doi.org/10.4324/9780080561042>
- [8] Art & Architecture Thesaurus Online Full Record Display, (2020). *Conservation Science (Cultural Heritage Discipline)*. [online] Available at: https://www.getty.edu/vow/AAT-FullDisplay?find=conservation&logic=AND¬e=&english=N&prev_page=1&subjectid=300379510 [Accessed 07 Jun. 2021].
- [9] Art & Architecture Thesaurus Online Full Record Display, (2021). *Movable Works* https://www.getty.edu/vow/AAT-FullDisplay?find=movable&logic=AND¬e=&english=N&prev_page=1&subjectid=300310093 [Accessed 07 Jun. 2021].
- [10] Ashino, T. (2010). Materials ontology: An Infrastructure for Exchanging Materials Information and Knowledge. *Data Science Journal*, 9, pp.54-61.
- [11] Bannour, I., Marinica, C., Bouiller, L., Pillay, R., Darrieumerlou, C., Malavergne, O., Kotzinos, D., Niang, C. (2018). CRMCR - a CIDOC-CRM Extension for Supporting Semantic Interoperability in the Conservation and Restoration Domain. In: *2018 3rd Digital Heritage International Congress (DigitalHERITAGE) held jointly with 2018 24th International Conference on Virtual Systems & Multimedia (VSMM 2018)*. San Francisco: IEEE, pp.1-8.
- [12] Blaško M., Cacciotti R., Křemen P., Kouba Z. (2012). Monument Damage Ontology. *Lecture Notes in Computer Science*, 7616, pp.221-230.
- [13] Blomqvist, E. 2014. The use of Semantic Web technologies for decision support - a survey. *Semantic Web Journal*, 5, 3, pp. 177-201.
- [14] Bonduel, M. (2021). *A Framework for a Linked Data-based Heritage BIM*. PhD, KU Leuven – Faculty of Engineering Technology.
- [15] Boochs, F., Trémeau, A., Murphy, Ó., Gerke, M., Lerma J.L., Karmacharya, A., Karaszewski, M. (2014). Towards a Knowledge Model Bridging Technologies and Applications in Cultural Heritage Documentation. In: *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, [online] II-5, pp.81-88. Available at: <https://doi.org/10.5194/isprsannals-II-5-81-2014> [Accessed 11 Dec. 2020].
- [16] Brickley, D., Miller, L. (2014). FOAF Vocabulary Specification 0.99. [online]. Available at: <http://xmlns.com/foaf/spec/#:~:text=The%20FOAF%20specification%20is%20produced,known%20informally%20as%20'FOAF'>. [Accessed 07 Jun. 2021].
- [17] Bruseker, G., Carboni, N., Guillem, A. (2017). Cultural Heritage Data Management: The Role of Formal Ontology and CIDOC CRM. In: *Heritage and Archaeology in the Digital Age*. Germany: Springer, pp. 93-131.
- [18] buildingSmart (2021). buildingSmart Data Dictionary. [online]. Available at: <https://www.buildingsmart.org/users/services/buildingsmart-data-dictionary/>. [Accessed 07 Jun. 2021].
- [19] Cacciotti, R., Valach, J., Kuneš, P., Cernanský, M., Blasko, M., Kremen, P. (2013). Monument Damage Information System (MONDIS): An Ontological Approach to Cultural Heritage Documentation. In: *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, [online] II-5, pp.55-60. Available at: <https://doi.org/10.5194/isprsannals-II-5-W1-55-2013> [Accessed 07 Jun. 2021].
- [20] Cacciotti, R., Blasko, M., Valach, J. (2014). A Diagnostic Ontological Model for Damages to Historical Constructions. *Journal of Cultural Heritage*, [online]. Available at: <http://dx.doi.org/10.1016/j.culher.2014.02.002> [Accessed 07 Jun. 2021].
- [21] Cacciotti, R. (2015). Integrated Knowledge-Based Tools for Documenting and Monitoring Damages to Built Heritage. In: *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, [online] XL-5/W7, pp.57-63. Available at: <https://www.int-arch-photogramm-remote-sens-spatial-inf-sci.net/XL-5-W7/57/2015/> [Accessed 07 Jun. 2021].
- [22] Carriero, V.A., Gangemi, A., Mancinelli, M.L., Marinucci, L., Nuzzolese, A.G., Presutti, V., Veninata, C., (2019). ArCo ontology network and LOD on Italian Cultural Heritage. In: *First International Workshop on Open Data and Ontologies for Cultural Heritage (ODOCH) co-located with the 31st International Conference on Advanced Information Systems Engineering (CAiSE), CEUR Workshop Proceedings*, 2375, pp. 97-102.
- [23] Carriero, V.A., Gangemi, A., Mancinelli, M.L., Marinucci, L., Nuzzolese, A.G., Presutti, V., Veninata, C. (2019). ArCo: The Italian Cultural Heritage Knowledge Graph. In: *Lecture Notes in Computer Science*, 11779 LNCS, pp. 36-52.
- [24] Catalano, C.E., Vassallo, V., Hermon, S., Spagnuolo, M. (2018). A Cultural Heritage Partonomy for the Documentation of 3D Digital Artefacts of Cypriot Coroplastic Art. In: *6th annual CIDOC - ICOM Conference in 2018 (CIDOC 2018)*. Available at: <http://doi.org/10.5281/zenodo.2536814> [Accessed 07 Jun. 2021]
- [25] Charles, V., Isaac, A., Tzouvaras, V., Henricke, S. (2013). Mapping Cross-Domain Metadata to the Europeana Data Model (EDM). *Lecture Notes in Computer Science*, 8092, pp.484-485.
- [26] CIDOC CRM, (2020). *CIDOC CRM*. [online] Available at: <http://www.cidoc-crm.org/> [Accessed 07 Jun. 2021].
- [27] CIDOC CRM, (2021). *Compatible models & Collaborations* [online] Available at: <http://www.cidoc-crm.org/collaborations> [Accessed 07 Jun. 2021].
- [28] CIDOC CRM, (2021). *Erlangen CRM / OWL* [online] Available at: <http://www.cidoc-crm.org/erlangen-crm-owl> [Accessed 07 Jun. 2021].
- [29] Cox, S., Little, C. (2020). Time Ontology in OWL [online]. Available at: <https://www.w3.org/TR/owl-time/>. [Accessed 07 Jun. 2021].
- [30] CRMdig, (2020). *CRMdig*. [online] Available at: <http://www.cidoc-crm.org/crmDIG/> [Accessed 07 Jun. 2021].
- [31] CRMinf, (2020). *CRMInf*. [online] Available at: <http://www.cidoc-crm.org/crmInf/> [Accessed 07 Jun. 2021].
- [32] CRMsci, (2020). *CRMsci*. [online] Available at: <http://www.cidoc-crm.org/crmSci/> [Accessed 07 Jun. 2021].
- [33] Cyganiak, R., Wood, D., Lanthaler, M. (2014). RDF 1.1 Concepts and Abstract Syntax. [online] Available at: <https://www.w3.org/TR/rdf11-concepts/#section-Graph-Literal> [Accessed 07 Jun. 2021].
- [34] Di Stefano, F., Gorreja, A., Malinverni, E., Mariotti, C., (2020). Knowledge modeling for heritage conservation process: from survey to HBIM implementation. *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*. XLIV-4/W1-2020. pp. 19-26. DOI: 10.5194/isprs-archives-XLIV-4-W1-2020-19-2020.

- [35] Doerr, M., Hunter, J., Lagoze, C., (2003). Towards a Core Ontology for Information Integration. *Journal of Digital Information*. 4 (1).
- [36] Doerr, M., Bekiari, C., Le Boeuf, P. (2008). FRBRoo, A Conceptual Model for Performing Arts. In: *2008 Annual Conference of CIDOC*. Athens.
- [37] Doerr, M. (2009). Ontologies for Cultural Heritage. In: S. Staab, R. Studer, ed., *Handbook on Ontologies, International Handbooks on Information Systems*. Berlin: Springer, pp.463-486.
- [38] Drdácký, M., Valach, J., Křemen, P., Abrahamčík, J. (2011). Cultural Heritage Protection Against Flooding. In: *Damage Database. Institute of Theoretical and Applied Mechanics*. pp.185–195.
- [39] EU ISA Programme Core Vocabularies Working Group (Location Task Force) (2015). ISA Programme Location Core Vocabulary. [online]. Available at: <https://www.w3.org/ns/locn>. [Accessed 07 Jun. 2021].
- [40] European Standard 16853:2017 (2017). Conservation of Cultural Heritage - Conservation Process - Decision making, planning and implementation, Comité Européen de Normalisation.
- [41] Fernandez-Lopez, M., Gomez-Perez, A., Juristo, N. (1997). METHONTOLOGY: from ontological art towards ontological engineering. In: *AAAI 1997 Spring Symposium Series*, SS-97-06, pp. 33–40. <https://doi.org/10.1109/AXMEDIS.2007.19>
- [42] Fiorani, D., Acierno, M., (2017). Conservation Process Model (CPM): A Twofold Scientific Research Scope in the Information Modelling for Cultural Heritage, In: *ISPRS - The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, [online] XLII-5/W1, pp.283-290. Available at: <https://www.int-arch-photogramm-remote-sens-spatial-inf-sci.net/XLII-5-W1/283/2017/> [Accessed 07 Jun. 2021].
- [43] FORTH Institute of Computer Science, (2020). *CRISTAL Project*. [online] Available at: <https://www.ics.forth.gr/isl/project/2020> [Accessed 07 Jun. 2021].
- [44] Grüninger, M., Fox, M. (1995). Methodology for the Design and Evaluation of Ontologies. In: *IJCAI-95*.
- [45] Guillem, A., Bruseker G., Ronzino P., (2017). Process, Concept or Thing? Some Initial Considerations in the Ontological Modelling of Architecture. *International Journal on Digital Libraries*, [online] 18, pp.289-299. Available at: <https://link.springer.com/article/10.1007/s00799-016-0188-0> [Accessed 07 Jun. 2021].
- [46] Hamdan, A.H., Bonduel, M. (2017). Damage Topology Ontology. [online] Available at: <https://alhakam.github.io/dot/>. [Accessed 07 Jun. 2021].
- [47] Harping, P., (2010). *Introduction to controlled vocabularies*. Los Angeles: Getty Publications.
- [48] Hellmund, T., Hertweck, P., Hilbring, D., Mossgraber, J., Alexandrakis, G., Pouli, P., Siatou, A., Padeletti, G. (2018). Introducing the HERACLES Ontology Semantics for Cultural Heritage Management. *Heritage*, [online] 1(2), pp.377-391. Available at: <https://www.mdpi.com/2571-9408/1/2/26/html> [Accessed 07 Jun. 2021].
- [49] Hellmund, T., Hertweck, P., Mossgraber, J., Hilbring, D., Pouli, P., Padeletti, G. (2019). Implementing the HERACLES Ontology - An Ontology as Backbone for a Knowledge Base in the Cultural Heritage Protection Domain. *International Journal on Advances in Intelligent Systems*, [online] 12(3&4), pp.158-169. Available at: http://www.ariajournals.org/intelligent_systems/tocv12n34.html [Accessed 07 Jun. 2021].
- [50] Henderson, J., Waller, R. (2016). Effective Preservation Decision Strategies. *Studies in Conservation*, 61(6), pp.308-323.
- [51] Hunter, J., Odat, S. (2011). Building a Semantic Knowledgebase for Painting Conservators. In: *2011 7th IEEE International Conference on eScience*. [online] Stockholm:IEEE, pp.173-180. Available at: <https://ieeexplore.ieee.org/document/6123275> [Accessed 07 Jun. 2021].
- [52] Huang, C.Y, Wu, C.H. (2016). A Web Service Protocol Realizing Interoperable Internet of Things Tasking Capability. *Sensors*, [online] 16(9), 1395. Available at: <https://www.mdpi.com/1424-8220/16/9/1395> [Accessed 07 Jun. 2021].
- [53] IRUG, (2020). *Keyword Search IRUG Spectral Database*. [online] Available at: <http://www.irug.org/search-spectral-database> [Accessed 07 Jun. 2021].
- [54] [ISA Programme](https://www.w3.org/ns/person) of the European Union (2012). ISA Program Person Core Vocabulary. [online]. Available at: <https://www.w3.org/ns/person>. [Accessed 07 Jun. 2021].
- [55] Karmacharya, A., Wefers, S., Boochs, F. (2016). Knowledge Based Recommendation on Optimal Spectral and Spatial Recording Strategy of Physical Cultural Heritage Objects. In: *10th Internat. Conference on Advances in Semantic Processing*. Venice: IARIA XPS Press, pp.49-58.
- [56] Kolbe, T.H. (2009). Representing and exchanging 3D city models with CityGML, Lee, J. and Zlatanova, S. (Eds), *3D Geo-Information Sciences*, Springer, Berlin and Heidelberg, pp. 15-31.
- [57] Kouis, D., Giannakopoulos, G. (2014). Incorporate Cultural Artifacts Conservation Documentation to Information Exchange Standards – The DOC-CULTURE Case, *Procedia - Social and Behavioral Sciences*, Volume 147, Pages 495-504, ISSN 1877-0428, <https://doi.org/10.1016/j.sbspro.2014.07.144>.
- [58] Kouis, D., Kyriaki-Manesi, D., Zervos, S., Giannakopoulos, G., Cheilakou, E., Kou, M. (2014). Integrating Non Destructive Testing Techniques Data for Cultural Heritage Monuments to CIDOC Conceptual Reference Model. In: *9th International Symposium on the Conservation of Monuments in the Mediterranean Basin*. Ankara.
- [59] Kouis, D., Vassilakaki, E., Vraimaki, E., Cheilakou, E., Saint, A.C., Sakkopoulos, E., Viennas, E., Pikoulis, E.V., Nodarakis, N., Achilleopoulos, N., Zervos, S., Giannakopoulos, G., Kyriaki-Manessi, D., Tsakalidis, A., Kou, M. (2015). Standardizing NDT& E Techniques and Conservation Metadata for Cultural Artifacts. In: *Metadata and Semantics Research*. Communications in Computer and Information Science, vol 544. Springer.
- [60] Lagoze, C., Van De Sompel, H., Nelson, M.L., Warner, S., Sanderson, R., Johnston, P. (2008). Object Re-Use & Exchange: A Resource-Centric Approach. *ArXiv*.
- [61] Lagoze, C. (2009). The oreChem project: Integrating Chemistry Scholarship with the Semantic Web. In: *WebSci'09 Society On-Line*, Athens.
- [62] Lahanier, C., Aubert, M. (1993). Network of Art Research Computer Image Systems in Europe (NARCISSE). In: D. Lees, ed., *Museums and Interactive Multimedia: Selected Papers from the Second International Conference on Hypermedia and Interactivity in Museums*. Cambridge: Archives and Museum Informatics, pp.298–304.
- [63] Lassila, O., Swick, R. (1999). *Resource Description Framework (RDF) Model and Syntax Specification W3C Recommendation*. [online] Available at: <http://www.w3.org/TR/1999/REC-rdf-syntax-19990222/>[Accessed 07 Jun. 2021].
- [64] Letellier, R., Schmid, W., LeBlanc, F. (2007). *Recording, Documentation, and Information Management for the Conservation of Heritage Places: Guiding Principles*. Los Angeles, CA: Getty Conservation Institute.

- [65] Liang, S., Huang C.Y., Khalafbeigi, T. (2016). *OGC SensorThings API*. Open Geospatial Consortium.
- [66] Linked Conservation Data (2021). *Linked Conservation Data*. [online] Available at: <https://www.ligatus.org.uk/lcd/> [Accessed 07 Jun. 2021].
- [67] Lodi, G., Asprino, L., Nuzzolese, A. G., Presutti, V., Gangemi, A., Reforgiato Recupero, D., Veninata, C., Orsini, A.: Semantic Web for Cultural Heritage Valorisation. In: Hai-Jew, S. (eds) *Data Analytics in Digital Humanities, Multimedia Systems and Applications*, pp. 3–37, Springer, Cham (2017).
- [68] Marçal, H., Macedo, R., Nogueira, A., Duarte, A. (2013). Whose decision is it? Reflections about a decision making model based on qualitative methodologies. *CeROArt* [online] Available at: <http://journals.openedition.org/ceroart/3597> ; DOI : 10.4000/ceroart.3597 [Accessed 07 Jun. 2021].
- [69] Messaoudi, T., De Luca L., Véron, P. (2015). Towards an Ontology for Annotating Degradation Phenomena. In: *Digital Heritage International Congress DH'15*. [online] Granada: IEEE, pp.1-4. Available at: <https://ieeexplore.ieee.org/abstract/document/7419528> [Accessed 07 Jun. 2021].
- [70] Messaoudi, T., Véron, P., Halin, G., De Luca, L. (2017). An ontological model for the reality-based 3D annotation of heritage building conservation state. *Journal of Cultural Heritage*, 29, pp.100-112.
- [71] MFA-BOSTON. 2020. *CAMEO Materials Database Search* [Online]. Museum of Fine Arts, Boston. [online] Available at: http://cameo.mfa.org/wiki/Category:Materials_database [Accessed 07 Jun. 2021].
- [72] Michalski, S., Rossi-Doria, M. (2011). Using decision diagrams to explore, document, and teach treatment decisions, with an example of their application to a difficult painting consolidation treatment. In: *ICOM Committee for Conservation, ICOM-CC, 16th Triennial Conference, Lisbon, 19-23 September 2011*, pp. 1–8. Lisbon, Critério.
- [73] Michalski, S. W. (2018). 2018 Sharing Conservation Decisions: Tools, Tactics, and Ideas, 183–202.
- [74] Moore, M. (2001). Conservation documentation and the implications of digitisation. *Journal of Conservation and Museum Studies*, 7.
- [75] Moraitou, E., Aliprantis, J., Christodoulou, Y., Teneketzis, A., Caridakis, G. (2019). Semantic Bridging of Cultural Heritage Disciplines and Tasks. *Heritage*, 2, pp.611-630.
- [76] Moraitou, E., Aliprantis, J., Caridakis, G., Semantic preventive conservation of cultural heritage collections, Third International Workshop on Semantic Web for Cultural Heritage in Conjunction with 15 th Extended Semantic Web Conference (ESWC 2018), Heraklion Crete, Greece, 3 7 June, 2018.
- [77] Moraitou E., Kavakli E. (2018) Knowledge Management Using Ontology on the Domain of Artworks Conservation. In: Ioannides M. (eds) *Digital Cultural Heritage. Lecture Notes in Computer Science*, vol 10605. Springer, Cham. https://doi.org/10.1007/978-3-319-75826-8_5.
- [78] Muñoz-Viñas, S. (2012). Contemporary Theory of Conservation. *Studies in Conservation*, 47(1), pp.25-34.
- [79] Musen, M.A. (2015). The Protégé Project: A Look Back and a Look Forward. *AI Matters*. [online] 1(4), pp.4-12. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4883684/> [Accessed 07 Jun. 2021].
- [80] Mustalish, R., Green, D. (2009). *Digital Technologies and the Management of Conservation Documentation: A Survey Commissioned by the Andrew W. Mellon Foundation* [online] Available at: <http://mac.mellon.org/mac-files/Mellon%20Conservation%20Survey.pdf> [Accessed 07 Jun. 2021].
- [81] Naoumidou, N., Chatzidaki, M., Alexopoulou, A. (2008). AR-IADNE Conservation Documentation System: Conceptual Design and Projection on the CIDOC CRM Framework and Limits. In: *Annual Conference of CIDOC*, Athens.
- [82] Niang, C., Marinica, C., Leboucher, E., Bouiller, L., & Capderou, C. (2015). An Ontological Model for Conservation-Restoration of Cultural Objects. *Digital Heritage*, 2, pp.157-160.
- [83] Niang, C., Marinica, C., Leboucher, E., Bouiller, L., Capderou, C., Bouchou-Markhoff, B. (2016). Ontology-Based Data Integration System for Conservation-Restoration Data (OBDIS-CR). In: *20th International Database Engineering & Applications Symposium*. pp.218-223.
- [84] Niang, C., Marinica, C., Bouchou-Markhoff, B., Leboucher, E., Malavergne, O., Bouiller, L., Darrieumerlou, C., Laissus, F. (2017). Supporting Semantic Interoperability in Conservation-Restoration Domain: The PARCOURS Project. *Journal on Computing and Cultural Heritage*, 10(3), pp.16:1-16:20.
- [85] NIST. (2011). *NIST Chemistry WebBook*. [online] Available: <http://webbook.nist.gov/> [Accessed 11 Dec. 2020].
- [86] Odat, S. (2014). *A Semantic e-Science Platform for 20th Century Paint Conservation*. PhD. The University of Queensland, School of Information Technology and Electrical Engineering.
- [87] OntoPia Ontology Network, (2021), OntoPia Ontology Network [online] Available at: <https://github.com/italia/daf-ontologie-vocabolari-controllati/tree/master/Ontologie> [Accessed 07 Jun. 2021].
- [88] Pérouse de Montclos, J.M. (2004). *Architecture: Méthode et Vocabulaire*. Éditions du Patrimoine.
- [89] Phillips, S., Walland, P., Modafferi, S., Dorst, L., Spagnuolo, M., Catalano, C., Oldman, D., Tal, A., Shimshoni, I., Hermon, S. (2016). Gravitate: Geometric And Semantic Matching For Cultural Heritage Artefacts. In: *14th Eurographics Workshop on Graphics and Cultural Heritage*. Genova: The Eurographics Association.
- [90] Platia, N., Chatzidakis, M., Doerr, C., Charami, L., Bekiari, C., Melessanaki, K., Hatzigiannakis, K., Pouli, P. (2017). ‘POLYGNOSIS’: The Development of a Thesaurus in an Educational Web Platform on Optical and Laser-Based Investigation Methods for Cultural Heritage Analysis and Diagnosis. *Heritage Science*, 5, pp.1-17.
- [91] Pocobelli, D.P., Boehm, J., Bryan, P., Still, J., Grau-Bové, J. (2018). BIM for Heritage Science: A Review. *Heritage Science*, 6, 30 Available at: <https://doi.org/10.1186/s40494-018-0191-4> [Accessed 07 Jun. 2021].
- [92] Polygnosis (2015). *Polygnosis User Manual*. Centre for Cultural Informatics Information Systems Laboratory Institute of Computer Science Foundation for Research and Technology Hellas Iraklion, Crete, Greece Available at: <https://projects.ics.forth.gr/isl/KRHPIS-POLITEIA/educational-material/PolygnosisUserManualVersion1.0September2015.pdf> [Accessed 07 Jun. 2021].
- [93] Porter, K.A. (2005). *A Taxonomy of Building Components for Performance-Based Earthquake Engineering*. PEER Report 2005/3. University of California. [online] Available at: <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.90.1198&rep=rep1&type=pdf> [Accessed 07 Jun. 2021].
- [94] Raskin R.G., Pan M.J. (2005). Knowledge Representation in the Semantic Web for Earth and Environmental Terminology (SWEET). *Computers & Geosciences*, 31, pp.1119 – 1125.
- [95] Rasmussen M. H., Lefrançois M. (2018). Ontology for Property Management [online] Available at: <https://w3c-lbd-cg.github.io/opm/> [Accessed 07 Jun. 2021].

- [96] Rasmussen, M.H., Pauwels, P., Lefrançois, M., Schneider, G.F. (2021). Building Topology Ontology. [online] Available at: <https://w3c-lbd-cg.github.io/bot/>. [Accessed 07 Jun. 2021].
- [97] Signore, O. (2007). The Semantic Web and Cultural Heritage : Ontologies and Technologies Help in Accessing Museum Information.
- [98] Simeone, D., Cursi, S., Acierno, M., (2019). BIM semantic-enrichment for built heritage representation. *Automation in Construction*, 97, pp. 122-137, ISSN 0926-5805, DOI: <https://doi.org/10.1016/j.autcon.2018.11.004>
- [99] Staab, S., Studer, R. (2009), Handbook on ontologies. Springer-Verlag.
- [100] Structurae, (2020). *International database and Gallery of Structures*. [online] Available at: <https://structurae.net/en/> [Accessed 11 Dec. 2020].
- [101] Tiano, P., Tibaut, A., Kaucic, B., Jardim-Goncalves, R., Panetto, H. (2019). Knowledge based IT platform for Heritage Buildings. Innovation in Intelligent Management of Heritage Buildings (i2MHB), pp.41-55, 978-953-8250-04-0. 10.1484/M.DEM-EB.5.118097. hal-02163685
- [102] Tibaut, A., Kaucic, B., Dvornik Perhavec, D. (2018). Ontology-Based Data Collection for Heritage Buildings. In: *Digital Cultural Heritage* DOI: 10.1007/978-3-319-75826-8_6.
- [103] Tibaut A., Kaučić B., Dvornik Perhavec D., Tiano P., Martins J. (2018) Ontologizing the Heritage Building Domain. In: Ioannides M., Martins J., Žarnić R., Lim V. (eds) *Advances in Digital Cultural Heritage. Lecture Notes in Computer Science*, 10754. Springer, Cham. https://doi.org/10.1007/978-3-319-75789-6_11.
- [104] UNESCO, (2021). *What is meant by Cultural Heritage?*. [online] Available at: <http://www.unesco.org/new/en/culture/themes/illicit-trafficking-of-cultural-property/unesco-database-of-national-cultural-heritage-laws/frequently-asked-questions/definition-of-the-cultural-heritage> [Accessed 07 Jun. 2021].
- [105] Vassilakaki, E., Zervos, S., Giannakopoulos, G. (2015). *CIDOC-CRM extensions for conservation processes: A methodological approach*. AIP Conference Proceedings. 1644. 1.
- [106] Vasilakis, G., Garcia-Rojas, A., Papaleo, L., Catalano, C.E., Robbiano, F., Spagnuolo, M., Vavalis, M., Pitikakis, M. (2010). Knowledge-based Representation of 3D Media. *International Journal of Software Engineering and Knowledge Engineering*, 20(5), pp.739-760.
- [107] Velios, A. (2015). *Online event-based conservation documentation: A case study from the IIC website*. Studies in Conservation. 61.
- [108] Vergès-Belmin, V. (2008). Illustrated glossary on stone deterioration patterns, Monuments and Sites. France: ICO-MOS.
- [109] Wagner, A., Bonduel, M., Pauwels, P. (2019). Ontology for Managing Geometry. [online] Available at: <https://www.projekt-scope.de/ontologies/omg/archive/0-3/>. [Accessed 07 Jun. 2021].
- [110] Wang, R., Chen, W. (2020). Case-based Reasoning of Damaged Ancient Buildings based on Ontology. *E3S Web Conf*. 165 04007 DOI: 10.1051/e3sconf/202016504007.
- [111] Wefers, S., Karmacharya, A. (2017). Ontology-Based Structuring of Spectral and Spatial Recording Strategies for Cultural Heritage Assets: Background, State of Affairs, and Future Perspectives. In: A. Bentkowska-Kafel, L. MacDonald, ed., *Digital techniques for documenting and preserving cultural heritage. Collection development, cultural heritage and digital humanities*, pp.157–172. Leeds: ARC Humanities Press.
- [112] Weyer, A., Roig Picazo P., Pop, D., Cassar, J., Özköse, A., Vallet, J.M., Srša, I. (2015). *EwaGlos- European Illustrated Glossary of Conservation Terms for Wall Paintings and Architectural Surfaces*. [online] Available at: <http://www.ewaglos.eu/pages/download.php> [Accessed 07 Jun. 2021].
- [113] Zalamea Patiño, O., Van Orshoven, J., Steenberghen, T. (2016). From a CityGML to an Ontology-based Approach to Support Preventive Conservation of Built Cultural Heritage. *Proceedings of the 19th AGILE International Conference on Geographic Information Science*, 2016.
- [114] Zalamea Patiño, O.P., Van Orshoven, J., Steenberghen, T. (2018) Merging and expanding existing ontologies to cover the Built Cultural Heritage domain, *Journal of Cultural Heritage Management and Sustainable Development*, DOI: <https://doi.org/10.1108/JCHMSD-05-2017-0028>.
- [115] Zalamea Patiño, O., García, G. (2020). Validation of the BCH-Ontology. *Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci.*, XLIV-M-1-2020, pp. 497–504, DOI: <https://doi.org/10.5194/isprs-archives-XLIV-M-1-2020-497-2020>.
- [116] Zerbini, A. (2018). Developing a Heritage Database for the Middle East and North Africa. *Journal of Field Archaeology*, 43(1), pp.9-18.
- [117] Zreik A., Kedad Z. (2021) Matching Conservation-Restoration Trajectories: An Ontology-Based Approach. In: Cherfi S., Perini A., Nurcan S. (eds) *Research Challenges in Information Science. RCIS 2021. Lecture Notes in Business Information Processing*, vol 415. Springer, Cham. https://doi.org/10.1007/978-3-030-75018-3_15